

# VERITY

## PRICE BOOK



**FRÍANT**

ALL  
WORKSTYLES  
WELCOME

## TABLE OF CONTENTS

### INTRODUCTION

Terms and Conditions	3	Double Sided to Single Sided, End of Run and Inline	14
Standard Fabrics	5	Grommet Locations	15-20
Pattern Direction	6	Power Grommets	21
Standard Finishes	7	Data Port Plate	22
Pull Options	8	How to Specify My-Hite 2 Piece Extended	
Ordering Verity: Elements	9	Corner or Rectangular Tops	23
Support Selection	10		
Powering Verity	13		

### ELEMENTS

#### STARTER/END ELEMENTS

Starter/End Element, Single-Sided	
Non-Powered	25
Powered	26
Starter/End Element, Double-Sided	
Non-Powered	27
Powered	28
Starter/End Element, 120° 3 Pack	
Non-Powered	29
Powered	30

#### EXTENSION ELEMENTS

Extension Element, Single-Sided	
Non-Powered	31
Powered	32
Extension Element, Double-Sided	
Non-Powered	33
Powered	34
Extension Element, 120° 3 Pack	
Non-Powered	35
Powered	36

#### STAND-ALONE ELEMENTS

Stand-Alone Element, Single-Sided	
Non-Powered	38
Powered	39
Stand-Alone Element, Double-Sided	
Non-Powered	41
Powered	42
Stand-Alone Element, 120° 3 Pack	
Non-Powered	43
Powered	44

### WORKSURFACE SUPPORTS

Worksurface Supports, Single-Sided	
For Start/End of Run	45
For Center of a Run	47
Worksurface Supports, Double-Sided	
For Start/End of a Run	48
For Center of a Run	51
<b>SUPPORTING STORAGE</b>	
Pedestals and Credenzas	53
Cabinets	56
Attachment Brackets	57

### GALLERY PANELS

Gallery Panels, End of Run	58
----------------------------	----

### ELECTRICAL DISTRIBUTION

Electrical Distribution	60
-------------------------	----

### MY-HITE WORKSURFACE

Rectangular	64
Rectangular Extension	65
Wedge	66
D-Shaped	67
120° Corner / 90° Ends	68
120° Corner / 120° Ends	68
Corner	69
90° Extended Curved Corner	70

### Ordering Verity Accessories & Storage

	73
--	----

### Return Worksurface

	74
--	----

### STORAGE

Mobile Pedestals	
Laminate	75
Metal	76
My-Hite	77
Credenzas	78
Cabinets	80
Over-Worksurface Storage	
Single-Sided	81
Double-Sided	83
Pulls	85
Supports	87

### TRACK-MOUNTED ACCESSORIES

Fabric Tackboard	88
Glass Screen	89

### WORKSURFACE-MOUNTED ACCESSORIES

Privacy Screen, Fabric	90
Privacy Screen, Marker Board	91
Privacy Screen, Laminate	92
Modesty Panel, Laminate	93
Fabric Tackboard	94
Glass Screen	95
Markerboard Screen	95
Modesty Panel, undersurface mounted	95
Supporting Brackets	96
Desk Mounted Power Unit	96
Mesh Wire Manager	96
Monitor Arm	97
Keyed-Alike	97

## Terms and Conditions

---

### PRICES

All Prices are F.O.B. point (Continental U.S.). We reserve the right to change prices without prior notice. See Friant policy at [www.Friant.com](http://www.Friant.com)

### ORDERING

Purchase Orders should be sent to Friant & Associates, LLC at [orders@friant.com](mailto:orders@friant.com), or faxed to (510) 535-6895. If your specifications were created with CAP, GIZA, or Project Matrix please send the worksheet (SP4) with your Purchase Order.

### TERMS

Net 30 days from date of invoice. Invoices are delinquent if not paid 30 days from date of invoice. In the event timely payment is not made, interest will be charged at the rate of 1.5% per month on delinquent accounts. Buyers will also be liable for normal collection costs and attorney's fee. 50% deposit is required with every order, unless prior arrangements have been made.

### ORDERS

Orders are only accepted by issuance of our formal acknowledgment, and are subject to the terms set forth herein and on our order acknowledgment. It is the responsibility of the buyer to review our acknowledgment for accuracy.

### LEAD TIME

Lead times are subject to availability.

### SHIPPING

Friant generally palletizes, boxes and/or shrink-wraps its products. If buyer requests additional packaging or special shipping, then it is responsible for any extra costs that result. Buyer obtains title to products and assumes the risk of loss for them upon shipment from Friant's plant.

### CLAIMS

We are not responsible for damage suffered in transit. Merchandise should be inspected for possible freight damage upon delivery. The consignee should file for damage or shortages with the carrier within 5 days of delivery. You are also protected for "concealed damage" if you file claim with the carrier within 5 days of delivery. Buyer must make all claims against Friant for defects, errors or shortages in writing within 10 days after delivery. Failure to make such a claim shall constitute full acceptance.

### RETURNS

No merchandise may be returned without our written consent and shipping instructions. Unauthorized returns will not be accepted and will be returned freight collect.

### PARTIAL SHIPMENTS

We will make every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments, as merchandise is ready. Invoices covering these shipments are to be paid as they become due.

### ORDER CHANGE — CANCELLATIONS

Our order confirmation is final and binding. Any order change or cancellation is subject to our ability to conform. For the most up to date information, always review the order change/cancellation policy online. Allowable changes within the posted policy must be made in writing.

### SHIPMENT AND PREPAID FREIGHT

Unless otherwise instructed, we reserve the option to ship by what is, in our opinion, the best possible way. Upon request, we will prepay and add freight for accounts with established credit.

### DELIVERY

We are not liable for delay or failure of delivery due to strikes and/or differences with workmen, war, riot, fire, compliance with government regulations, acts of nature, failure or delays of sources of supply, or any other causes beyond our control.

### STORAGE

If buyer cannot accept delivery when merchandise is ready, we reserve the right to transfer goods to storage. Costs of transfer and storage will be charged to the buyer's account, and we will deem such transfer as constituting shipment for all purposes, including invoicing, as of the date the transfer is made.

## Terms and Conditions continued

### CONSTRUCTION — SPECIFICATIONS

All items are produced to price list specifications unless otherwise advised. All dimensions shown are approximate. Manufacturer reserves the right to make modifications and/or improvements without prior notice.

### FABRIC APPLICATION

Standard fabric application is **non-directional**.

Friant & Associates is not responsible for charges associated with replacement of products due to incorrect specifications. Please note:

**Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.** See individual pricebook specifications for details.

### CUSTOMER'S OWN MATERIAL

Yardage requirement is based on 66" wide plain covering material, and must be increased if less than 66" wide. Special instructions for handling material (pattern, directional fabric, right side of reversible fabric, etc.) must be submitted in writing before fabric is delivered. In the absence of special instructions, we reserve the right to use our own judgment. We reserve the right to reject any covering, which in our opinion, is unsuitable for our upholstery purposes. However, in no instance shall we be held responsible for unsatisfactory results due to use of covering unsuitable for our upholstery methods.

We will not be responsible for errors caused by buyers not supplying us with sample cuttings attached to their order giving full identification of covering material, (name of supplier, covering name, number and color) for identification purposes and advising us of model number and quantity to which each cover is to be applied.

Customer's own material that is shipped freight collect will be refused. A service charge will be applied for the return of unusable C.O.M. Contact factory.

### RIGHTS AND WARRANTIES — LIMITED LIFETIME WARRANTY

Warranty information for all Friant products can be found in the Dealer Resource Center ([dealers.friant.com/warranty](http://dealers.friant.com/warranty)) or on the Friant website ([www.friant.com/warranty](http://www.friant.com/warranty)).

### CALIFORNIA PROP 65 WARNING

Products in this catalog can expose you to chemicals including wood dust, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to <https://www.p65warnings.ca.gov/products/furniture-products>.

### CARB

Friant products are CARB 93120 compliant for formaldehyde (phase 2)

### TSCA TITLE VI

Friant products are TSCA Title VI Compliant

### MAS

Accredited Compliance Designation - ANSI/BIFMA x7.1 & e3-2014 7.6.1, 7.6.2, 7.6.3  
California Dept. Of Public Health Standard Method v1.2

Conforms With: LEED v4

Criteria of MAS Certified Green ® Program



## Standard Fabrics

JOURNEY		TERRAIN		SLIDE		SILKY		SKY	
PF801-1	Quest	PF701-1	Cloud	PF101-1	Caramel	PF401-1	Natural	PF301-1	Terra
PF801-2	Voyage	PF701-2	Dusk	PF101-2	Slate	PF401-2	Parids	PF301-2	Birch
PF801-3	Transit	PF701-3	Wave	PF101-3	Pewter	PF401-3	Overcast	PF301-3	Moss
PF801-4	Amble	PF701-4	Earth	PF101-7	Java	PF401-5	Graphite		
PF801-5	Odyssey			PF101-9	Sterling				
PF801-6	Caravan			PF101-10	Crema				
PF801-7	Expedition			PF101-13	Mustard				
PF801-8	Wayfare			PF101-14	Avocado				
				PF101-15	Pumpkin				
				PF101-16	Ocean				
				PF101-17	Blueberry				
				PF101-18	Cardinal				
				PF101-19	Flamingo				
				PF101-20	Serenity				
				PF101-21	Azure				
				PF101-22	Orchid				
				PF101-23	Plum				
				PF101-24	Raven				

### LIMITED AVAILABILITY

SLIDE		STICKS		PASSAGE	
PF101-4	Verde	PF501-3	Sage	PF601-5	Leaf
PF101-6	Vintage			PF601-8	Amber



**Fabric is scheduled for discontinuation when inventory is exhausted. Please contact Customer Success for current stock levels. After discontinuation fabric will be available with extended lead time, subject to minimum yardage requirements.**

#### NOTE:

- Fabric direction as per Friant's fabric card.
- All textiles listed are 66" wide.
- Order fabric/finish sample online at [www.friant.com](http://www.friant.com)
- Colors may vary slightly between dye lots.
- Passage and Terrain are not available on acoustical panels, pedestal cushions, tackboards or fabric screens..**
- Please consult your Friant sales consultant for:
  - Other colors not listed above
  - C.O.M. fabric

Pattern Direction

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to our Materials Reference Guide on the Dealer Resource Center for specific pattern application defaults on all of our products: <http://dealers.friant.com/dealers/product-literature/>
- Our Customer Success Team is happy to answer any questions regarding fabric direction.

Non - Directional Application Shown	Directional Application Shown
	

# Standard Finishes

For matching edge PVC, please read across matrix.

WORKSURFACE LAMINATES		EDGE LAMINATES (3MM PVC)	
M1	Light Maple	E1	Light Maple
M2	Light Cherry	E2	Light Cherry
M3	Medium Cherry	E3	Medium Cherry
M4	Dark Mahogany	E4	Dark Mahogany
M6	Light Gray	E6	Light Gray
M9	Cloud White	E9	Cloud White
M10	Espresso	E10	Espresso
M11	Light Walnut	E14	Light Walnut
M12	Medium Walnut	E15	Medium Walnut
M13	Licorice	E13	Licorice
M14	Carob	E17	Carob
M16	Tundra	E19	Tundra
M18	Capitan	E21	Capitan
M19	Fog	E22	Fog
M20	Sandstone	E23	Sandstone
M23	Bark	E26	Bark
M25	Winter	E28	Winter
M26	Storm	E29	Storm
M27	Medium Ash	E30	Medium Ash
M28	Arctic	E31	Arctic
M29	Raven	E32	Raven
M30	Barley	E33	Barley
M31	Camel	E34	Camel
		Complimentary Edge Finishes	
		E8	Black Umber
		E11	Medium Tone
		E12	Dark Tone
		Complimentary edge finishes have no exact laminate match available	

Order samples at [www.friant.com](http://www.friant.com)  
**Please Note:** Images are printed simulations and are not exact matches of finished product. Please request an actual sample from Friant or your sales consultant before specifying finishes.

## PAINT FINISH

- BU Black Umber
- CW Cloud White
- SV Silver

## GROMMET COLORS

- BU Black Umber
- CW Cloud White
- SV Silver

## MY-HITE PED FOAM CUSHION


- Red
- Charcoal
- Café
- Grey

## MY-HITE COLOR PEDESTAL TOP

- Green
- Blue
- Red


## Credenza, Pedestal, Lateral File and Freestanding Tower Handles

You have multiple handle options for handles for your FRIANT storage. Please specify which handle you would like when ordering. For any questions, please call Friant Customer Success or your sales rep.




### WEDGE PULL

Available in Brushed Aluminum, Black Umber



### DESIGNER PULL

Available in:  
Cloud White/Red, Cloud White/Green, Cloud White/Grey



### SLANT PULL

Available in Brushed Aluminum, Black Umber



# Ordering Verity: Elements

## Verity benching can be ordered as Elements.

See below for further details about Elements and a guide on how to order.

## Elements

Elements are parts to build a larger and more customized complete unit. They are not freestanding, must be combined with other elements, and require ordering supports separately. An Element consists of structure and worksurface only.

There are three types of Elements:


- Starter/End Elements
- Extension Elements
- SA Elements (Stand Alone)

- \* Starter/End Elements are required at both the start and end of every run. Extension Elements are used anywhere between the Starter and End Elements.
- \* Support options for Elements include legs, pedestals, cabinets or credenzas.
- \* Additions, such as storage and accessories, are not included and need to be ordered separately.
- \* Available single-sided or double-sided, either non-powered or powered.
- \* Verity runs should not exceed 25'

## How to Order Elements


### 1 Build a run with Starter/End and Extension Elements.

First, select a Starter/End Element to start the run. Next, select one or more Extension Elements to extend the run. Last, select a Starter/End Element to end the run.



### 2 Select the supports.


Starter/End Elements can be supported by legs or supporting storage. Extension Elements can be supported by open center legs, enclosed center legs or credenzas.



All storage supports require ordering attachment brackets separately.


### 3 Order electrical components, as necessary.

Order infeeds, duplexes and power jumpers from page 60.



### 4 Optional: Select Additions to complete your unit.

For all specification options and details, please reference the corresponding page from the table of contents.



\*Available as fabric, tackboards, glass, and markerboards


\*Not to exceed 20'

## How to Specify Support Selections in Verity Elements

Verity Double Sided Start/End and Stand Alone Elements have an option for the type of Support Bar. Specify the **Support Selection** on the Verity Element based on the type of legs used.

Please note: There is no Support Selection option for Extension Elements or any Single Sided Elements. Only straight support bars would be needed.

### 1 Select a Verity Element:


Choose	Specify Part #	Specify Options
	FVSED.4848-N	Worsksurface Finish Edge Finish Finish Support Selection

### 2 Specify Support Selection




Support Selection is determined based on the type of leg used.

**CONCAVE** supports are needed on the side of an Element supported by Concave Taper Start/End legs or Concave Inset Start/End

Concave Legs




**STRAIGHT** supports are needed on the side of an Element supported by all other Start/End legs, Center Legs, or Supporting Storage

Straight Legs	Center Legs	Supporting Storage
		


How to Specify Support Selections in Verity Elements continued.

2a Support Selection for Start/End Element, Double Sided


Choose



Examples



CON1SD




STRAIGHT LEG


Code	Description
CON1SD	Concave 1 sided
STRAIGHT LEG	Straight Leg Selection

2b Support Selection for Stand Alone Element, Double Sided


Choose




Examples



CON2SD



CON1SD




STRAIGHT LEG

Code	Description
CON2SD	Concave 2 sided
CON1SD	Concave 1 sided
STRAIGHT LEG	Straight Leg Selection


How to Specify Support Selections in Verity Elements continued.


2c Support Selection for Start/End Element, 120 °

Choose



Example


  
CON2SD

  
STRAIGHT LEG


Code	Description
CON2SD	Concave 2 sided
STRAIGHT LEG	Straight Leg Selection


2d Support Selection for Stand Alone Element, 120 °


Choose



Examples

  
CON3SD

  
CON2SD

  
STRAIGHT LEG


Code	Description
CON3SD	Concave 3 sided
CON2SD	Concave 2 sided
STRAIGHT LEG	Straight Leg Selection

Powering Verity

A guide to ordering electrical components for Verity benching.  
See below for further details about running electrical/data.

Connecting to Power

Power can be brought in 3 different ways, which are all shown below.  
Select the option that best fits the needs of the space and order from the components shown on page 32.



- Wire Manager + Infeed connect power anywhere along the run and use the wire manager to conceal wires.
- Power Pole may be used only at the start or end of a run.
- Enclosed Center Leg + Infeed connect power at the center of a run and conceal wires inside the leg.

Power Distribution

To bring power from one Element to another, order a 4-circuit power jumper.

Power Jumper for 96"W Elements

When connecting power for a 96"W element, use 48"W jumper.

96" wide elements require a 48" power jumper in the center in addition to the jumper connecting adjacent elements.

Power Jumper Sizing Chart							
	48	54	60	66	72	78	84
48	FVJUMP.48	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66
54	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72
60	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72
66	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78
72	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78
78	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84
84	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84	FVJUMP.84


Power Duplexes

Order two duplexes per workstation.

Duplexes provide access to I, II, III, and IIII circuits. Use receptacle IIII for a dedicated circuit.


## Double Sided to Single Sided, End of Run

- Verity offers Stand-Alone Elements sized specifically for placement at the end of Double-Sided runs
  - **FVSAES.2450-E4** (page 40) or **FVSAES.2450-N** (page 38) for use with 48"D Elements
  - **FVSAES.2462-E4** (page 40) or **FVSAES.2462-N** (page 38) for use with 60"D Elements
- Specify Double-Sided Elements and Supports to complete a freestanding Double-Sided cluster. Add Single Sided Stand-Alone Elements and supports to finish the run
- Add **(1) FV-DCT** Double-Sided Connecting Trough and **(1) FVJUMP.48** Jumper to bring the power from Double Sided cluster to Single-Sided Element
- Add **(1) FVFB.08** Flat Bracket pair to tie together the Double-Sided Elements to the Single Sided Stand-Alone
  - This does not provide support, aligns tops only. Double and Single-Sided legs need to be specified for support



## Double Sided to Single Sided, Inline

- Specify Double-Sided Elements and Supports to complete a freestanding Double-Sided cluster. Add Single-Sided Stand-Alone Elements and supports to finish the run
- Add **(1) FV-DCT** Double-Sided Connecting Trough and **(1) FV-SCT** Single-Sided Connecting Trough to bring the power from Double-Sided cluster to Single-Sided Element
- Specify Jumper of appropriate length, see Power Jumper Sizing Chart for reference (page 62)
- Add **(1) FVFB.08** Flat Bracket pair to tie together the Double-Sided Elements to the Single Sided Stand-Alone
  - This does not provide support, aligns tops only. Double and Single-Sided legs need to be specified for support





# Grommet Locations

## 1 Select a My-Hite worksurface

My-Hite tops (see page 64) offer optional grommets. (Please use the codes shown when specifying location of grommets). An upcharge of \$75 applies per grommet.

Choose



Specify Part #


FVECCWS.23346423R

Specify worksurface and edge

M16 Tundra  
E19 Tundra

## 2a Select a grommet location, Rectangular Tops

Specify location by using the designated codes



CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
G1	Pair of grommets, GL and GR
G5	Three grommets, GL-GC-GR


Dimensions are measured from grommet center

For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard

## 2b Select a grommet location, Extended Corner Tops

Specify location by using the designated codes



### Extended Corner, Left Handed

CODE	POSITION
GL	4" from left side - 4" from rear
GC	Centered from side to side - 4" from rear
GCOR	Corner, 4" from Rear
GSR	4" from right side - 4" from rear

### Extended Corner, Right Handed

CODE	POSITION
GCOR	Corner, 4" from Rear
GC	Centered from side to side - 4" from rear
GR	4" from right side - 4" from rear
GSL	4" from left side - 4" from rear

Dimensions are measured from grommet center


For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard

Grommet Locations

2c Select a grommet location, D-Shaped Tops

Specify location by using the designated codes



CODE	POSITION
GC	Centered from side to side - 4" from rear


Dimensions are measured from grommet center

For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard

2d Select a grommet location, 120° Tops

Specify location by using the designated codes



CODE	POSITION
120GL	4" from left side - 4" from rear
120GCOR	Corner - 4" from rear
120GR	4" from right side - 4" from rear


Dimensions are measured from grommet center

For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard

2e Select a grommet location, 90° Equal Corners

Specify location by using the designated codes



CODE	POSITION
GSL	4" from left side - 4" from rear
GCOR	Corner - 4" from rear
GSR	4" from right side - 4" from rear

Dimensions are measured from grommet center

For other grommet locations, please call Friant Customer Success.

Grommets are 3" round with cover standard

# Power Grommet Locations - Notch Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet notch cutouts are required when specifying a Power Grommet on a worksurface supported by a My-Hite C-Leg adjustable height table base. Choose the size of power grommet (5x8 only) and cutout location (left, center or right). Specify Power Grommets on page 65 . An upcharge of \$75 applies for cutouts.

NOTE: Notch cutouts only available with 5x8 Power grommets and C-leg bases.




- 1

Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 26)
- 2

Select a power grommet notch cutout location


CODE	POSITION
PG5L-C	11" from left side
PG5C-C	Centered
PG5R-C	11" from right side




120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)
PG5L-C	4.5" from left side
PG5R-C	4.5" from right side

Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:



## Power Grommet Locations - Interior Cutouts, My-Hite Worksurfaces

FRIANT Power Grommet interior cutouts are used when specifying a Power Grommet on a worksurface supported by a My-Hite T-Leg adjustable height table base. Choose the size of power grommet (5x8 or 6x8) and cutout location (left, center or right). Specify Power Grommets on page 65. An upcharge of \$75 applies for cutouts.





NOTE: Standard position Interior cutouts are not compatible with C-leg bases.

### 1 Select a My-Hite worksurface

My-Hite worksurfaces (starting on page 26)

### 2 Select a power grommet interior cutout location


CODE	POSITION
PG6L	11" from left side, 1.5" from back
PG6C	Centered, 1.5" from back
PG6R	11" from right side, 1.5" from back
PG5L	11" from left side, 1.5" from back
PG5C	Centered, 1.5" from back
PG5R	11" from right side, 1.5" from back




120° and 90° worksurfaces

CODE	POSITION (Specific to 120° and 90°)
PG6L	4.5" from left side, 1.5" from back
PG6R	4.5" from right side, 1.5" from back
PG5L	4.5" from left side, 1.5" from back
PG5R	4.5" from right side, 1.5" from back

Positions for 120° worksurfaces:



Positions for 90° equal corner worksurfaces:






## Power Grommet

FRIANT power grommets are available to meet different worksurface power and data needs. Choose the color of the power grommet (brushed aluminum, brushed charcoal, or cloud white). Specify power grommets on page 65.


### 3 FINISHES AVAILABLE

Brushed aluminum, brushed charcoal and cloud white



### INCLUDES SPRING CORD

(Not shown) For connection to power source



## POWER GROMMETS



### 6x8

- (2) CAT6 Data Ports
- (4) Power Outlets
- (2) USB Ports

### 5x8

- (2) CAT6 Data Ports
- (3) Power Outlets
- (2) USB Ports

## Data Port Plate



### Product Description

PART #: FVDPP

This Data Port Faceplate is field configurable, flush-mounted onto the Panel Base Kickplate, and provides 1 to 4 flush-mount ports for a variety of snap-in connectors and adaptors.

#### Product Notes

- Installation and changes can be made without removing the Panel Base Kickplate
- Plates can be installed and removed without any tools
- Window ID provided with each Data Port Plate
- Release latch provides easy access to connections without any tools
- Blank inserts included with each Data Port Plate

#### Dimensions

PART #: FVDPP

HEIGHT: 3<sup>5</sup>/<sub>8</sub>"

WIDTH: 2<sup>1</sup>/<sub>8</sub>"

DEPTH: 0.25" (from face of Panel Base Kickplate)


MATERIAL: High impact plastic

## How To Specify My-Hite 2-Piece Extended Corner or Rectangular Tops


Use a FVFB.08 Flat Bracket pair to attach the two surfaces, making sure the seam is oriented so that it is supported by the continuous part of the My-Hite Corner Base. Maximum width combined: 84x84" (All My-Hite bases) or 72x96" (3 Stage base only).

Specify the Rectangular Extension on page 65.

To create an extended corner My-Hite station, specify an Extended Curved Corner with a Rectangular Extension.




To create a two piece rectangular corner top, specify two rectangular tops, or a rectangular top and one rectangular extension.



# ELEMENTS

## Starter/End Element, Single-Sided NON-POWERED



### DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and worksurface with access grommet.

### NOTES

Starter/End Elements:


- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

### SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

### ORDER EXAMPLE

**product #:** FVSES.2448-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White



Support Structure



Worksurface

### NON-POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.2448-N	1"	48"	25.5"		\$1,672
FVSES.2454-N	1"	54"	25.5"		\$1,744
FVSES.2460-N	1"	60"	25.5"		\$1,849
FVSES.2466-N	1"	66"	25.5"		\$1,939
FVSES.2472-N	1"	72"	25.5"		\$2,027
FVSES.2478-N	1"	78"	25.5"		\$2,115
FVSES.2484-N	1"	84"	25.5"		\$2,204
FVSES.2496-N	1"	96"	25.5"		\$3,057



### NOTES

### NON-POWERED, 30" DEPTH


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.3048-N	1"	48"	31.5"		\$1,744
FVSES.3054-N	1"	54"	31.5"		\$1,825
FVSES.3060-N	1"	60"	31.5"		\$1,937
FVSES.3066-N	1"	66"	31.5"		\$1,995
FVSES.3072-N	1"	72"	31.5"		\$2,131
FVSES.3078-N	1"	78"	31.5"		\$2,227
FVSES.3084-N	1"	84"	31.5"		\$2,324
FVSES.3096-N	1"	96"	31.5"		\$3,290

### NOTES

Starter/End Element, Single-Sided  
POWERED



Support Structure



Worksurface

4-CIRCUIT, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.2448-E4	1"	48"	25.5"		\$1,784
FVSES.2454-E4	1"	54"	25.5"		\$1,858
FVSES.2460-E4	1"	60"	25.5"		\$1,963
FVSES.2466-E4	1"	66"	25.5"		\$2,052
FVSES.2472-E4	1"	72"	25.5"		\$2,140
FVSES.2478-E4	1"	78"	25.5"		\$2,229
FVSES.2484-E4	1"	84"	25.5"		\$2,318
FVSES.2496-E4	1"	96"	25.5"		\$3,389

4-CIRCUIT, 30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSES.3048-E4	1"	48"	31.5"		\$1,858
FVSES.3054-E4	1"	54"	31.5"		\$1,939
FVSES.3060-E4	1"	60"	31.5"		\$2,051
FVSES.3066-E4	1"	66"	31.5"		\$2,109
FVSES.3072-E4	1"	72"	31.5"		\$2,245
FVSES.3078-E4	1"	78"	31.5"		\$2,342
FVSES.3084-E4	1"	84"	31.5"		\$2,439
FVSES.3096-E4	1"	96"	31.5"		\$3,623

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet. Data Port Plates are included

NOTES

- Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
  - Order Extension Elements (optional) to expand a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
  - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, jumper, and duplexes separately.
  - Each grommet has 2 duplex locations
  - 96" wide elements require a center support leg (ordered separately)
  - 96" wide elements require a 48" power jumper in the center
  - Data Port Plates are included

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVSES.2448-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately


NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately



## Starter/End Element, Double-Sided

### NON-POWERED



#### DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

#### NOTES

Starter/End Elements:

- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

#### SPECIFICATION OPTIONS

**product #:** see charts below

**worksurface finish:** see page 7

**edge finish:** see page 7

**finish:** see page 7

**support selection:** CON1SD Concave or STRAIGHT LEG

#### ORDER EXAMPLE


**product #:** FVSED.4848-N

**worksurface finish:** M1 Light Maple


**edge finish:** E1 Light Maple

**finish:** CW Cloud White

**support selection:** CON1SD



Support Structure



Worksurfaces (2)



#### NON-POWERED, 48" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.4848-N	1"	48"	49.5"		\$2,436
FVSED.4854-N	1"	54"	49.5"		\$2,684
FVSED.4860-N	1"	60"	49.5"		\$2,722
FVSED.4866-N	1"	66"	49.5"		\$2,865
FVSED.4872-N	1"	72"	49.5"		\$3,007
FVSED.4878-N	1"	78"	49.5"		\$3,151
FVSED.4884-N	1"	84"	49.5"		\$3,471
FVSED.4896-N	1"	96"	49.5"		\$5,268


#### NON-POWERED, 60" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.6048-N	1"	48"	61.5"		\$2,580
FVSED.6054-N	1"	54"	61.5"		\$2,705
FVSED.6060-N	1"	60"	61.5"		\$2,896
FVSED.6066-N	1"	66"	61.5"		\$2,978
FVSED.6072-N	1"	72"	61.5"		\$3,215
FVSED.6078-N	1"	78"	61.5"		\$3,374
FVSED.6084-N	1"	84"	61.5"		\$3,534
FVSED.6096-N	1"	96"	61.5"		\$6,205

Starter/End Element, Double-Sided  
POWERED



Support Structure



Worksurfaces (2)

4-CIRCUIT, 48" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.4848-E4	1"	48"	49.5"		\$2,709
FVSED.4854-E4	1"	54"	49.5"		\$2,960
FVSED.4860-E4	1"	60"	49.5"		\$2,995
FVSED.4866-E4	1"	66"	49.5"		\$3,139
FVSED.4872-E4	1"	72"	49.5"		\$3,282
FVSED.4878-E4	1"	78"	49.5"		\$3,427
FVSED.4884-E4	1"	84"	49.5"		\$3,745
FVSED.4896-E4	1"	96"	49.5"		\$5,542

4-CIRCUIT, 60" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSED.6048-E4	1"	48"	61.5"		\$2,855
FVSED.6054-E4	1"	54"	61.5"		\$2,979
FVSED.6060-E4	1"	60"	61.5"		\$3,171
FVSED.6066-E4	1"	66"	61.5"		\$3,253
FVSED.6072-E4	1"	72"	61.5"		\$3,489
FVSED.6078-E4	1"	78"	61.5"		\$3,649
FVSED.6084-E4	1"	84"	61.5"		\$3,808
FVSED.6096-E4	1"	96"	61.5"		\$6,480

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

- Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
  - Order Extension Elements (optional) to expand a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
  - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, jumper, and duplexes separately.
  - Each grommet has 2 duplex locations
  - 96" wide elements require a center support leg (ordered separately)
  - 96" wide elements require a 48" power jumper in the center
  - Data Port Plates are included
  - If using Concave Support Leg, specify concave support selection.

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7  
**support selection:** CON1SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #:** FVSED.4848-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White  
**support selection:** CON1SD

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Starter/End Element, 120° 3 Pack  
NON-POWERED

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

SPECIFICATION OPTIONS



**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7  
**support selection:** CON2SD Concave or STRAIGHT LEG

NOTES


- Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
  - Order Extension Elements (optional) to expand a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).

ORDER EXAMPLE

**product #:** FVSE120.2436-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White  
**support selection:** STRAIGHT LEG



Support Structure



Worksurface

STARTER/END ELEMENTS

NON-POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSE120.2436-N	1"	36"	49.5"		\$6,034
FVSE120.2442-N	1"	42"	49.5"		\$6,893
FVSE120.2448-N	1"	48"	49.5"		\$7,707

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Starter/End Element, 120° 3 Pack  
POWERED

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

Includes a support structure with 4-circuit power block, wire management trough, and three worksurfaces with access grommet. Data Port Plates are included

NOTES



- Starter/End Elements:
- Order another Starter/End Element (required) separately to complete run.
  - Order Extension Elements (optional) to expand a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed and duplexes separately.
  - To connect one Starter/End element to another element, order a jumper to connect element to element - pg 62
  - Each grommet has 2 duplex locations
  - Data Port Plates are included

SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7  
**support selection:** CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #:** FVSE120.2436-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White  
**support selection:** STRAIGHT LEG



Support Structure



Worksurface


POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSE120.2436-E4	1"	36"	49.5"		\$7,053
FVSE120.2442-E4	1"	42"	49.5"		\$7,911
FVSE120.2448-E4	1"	48"	49.5"		\$8,726

NOTES

- This part # includes (1) 4-circuit power block
- This part # includes (3) festoons, (2) jumpers
- To connect one Starter/End element to another element, order (1) 48" jumper
- Order 4-circuit power infeed and duplexes separately

## Extension Element, Single-Sided NON-POWERED



### DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and work surface with access grommet.

### NOTES

Extension Elements:


- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" wide elements require a center support leg (ordered separately)

### SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

### ORDER EXAMPLE

**product #:** FVES.2448-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White



Support Structure



Worksurface



### NON-POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.2448-N	1"	48"	25.5"		\$1,831
FVES.2454-N	1"	54"	25.5"		\$1,903
FVES.2460-N	1"	60"	25.5"		\$2,009
FVES.2466-N	1"	66"	25.5"		\$2,098
FVES.2472-N	1"	72"	25.5"		\$2,185
FVES.2478-N	1"	78"	25.5"		\$2,276
FVES.2484-N	1"	84"	25.5"		\$2,362
FVES.2496-N	1"	96"	25.5"		\$3,288


### NON-POWERED, 30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.3048-N	1"	48"	31.5"		\$1,903
FVES.3054-N	1"	54"	31.5"		\$1,984
FVES.3060-N	1"	60"	31.5"		\$2,094
FVES.3066-N	1"	66"	31.5"		\$2,154
FVES.3072-N	1"	72"	31.5"		\$2,290
FVES.3078-N	1"	78"	31.5"		\$2,386
FVES.3084-N	1"	84"	31.5"		\$2,484
FVES.3096-N	1"	96"	31.5"		\$3,464

Extension Element, Single-Sided  
POWERED



Support Structure



Workspace

DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and worksurface with access grommet. Data Port Plates are included

NOTES

- Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
  - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, jumper, and duplexes separately.
  - Each grommet has 2 duplex locations
  - 96" wide elements require a center support leg (ordered separately)
  - 96" wide elements require a 48" power jumper in the center
  - Data Port Plates are included

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVES.2448-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

4-CIRCUIT, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.2448-E4	1"	48"	25.5"		\$1,945
FVES.2454-E4	1"	54"	25.5"		\$2,017
FVES.2460-E4	1"	60"	25.5"		\$2,122
FVES.2466-E4	1"	66"	25.5"		\$2,211
FVES.2472-E4	1"	72"	25.5"		\$2,299
FVES.2478-E4	1"	78"	25.5"		\$2,389
FVES.2484-E4	1"	84"	25.5"		\$2,478
FVES.2496-E4	1"	96"	25.5"		\$3,622

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVES.3048-E4	1"	48"	31.5"		\$2,017
FVES.3054-E4	1"	54"	31.5"		\$2,098
FVES.3060-E4	1"	60"	31.5"		\$2,210
FVES.3066-E4	1"	66"	31.5"		\$2,268
FVES.3072-E4	1"	72"	31.5"		\$2,402
FVES.3078-E4	1"	78"	31.5"		\$2,500
FVES.3084-E4	1"	84"	31.5"		\$2,598
FVES.3096-E4	1"	96"	31.5"		\$3,797


NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately



## Extension Element, Double-Sided

### NON-POWERED



#### DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough and two worksurfaces with access grommet.

#### NOTES

Extension Elements:


- Order two Starter/End Elements (required) separately to complete a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- Order support legs separately.
- 96" wide elements require a center support leg (ordered separately)

#### SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

#### ORDER EXAMPLE

**product #:** FVED.4848-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White



Support Structure



Worksurfaces (2)



#### NON-POWERED, 48" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.4848-N	1"	48"	49.5"		\$2,846
FVED.4854-N	1"	54"	49.5"		\$2,959
FVED.4860-N	1"	60"	49.5"		\$3,133
FVED.4866-N	1"	66"	49.5"		\$3,275
FVED.4872-N	1"	72"	49.5"		\$3,419
FVED.4878-N	1"	78"	49.5"		\$3,562
FVED.4884-N	1"	84"	49.5"		\$3,704
FVED.4896-N	1"	96"	49.5"		\$7,311


#### NON-POWERED, 60" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.6048-N	1"	48"	61.5"		\$2,991
FVED.6054-N	1"	54"	61.5"		\$3,115
FVED.6060-N	1"	60"	61.5"		\$3,133
FVED.6066-N	1"	66"	61.5"		\$3,389
FVED.6072-N	1"	72"	61.5"		\$3,626
FVED.6078-N	1"	78"	61.5"		\$3,786
FVED.6084-N	1"	84"	61.5"		\$3,944
FVED.6096-N	1"	96"	61.5"		\$7,857

Extension Element, Double-Sided  
POWERED



Support Structure



Worksurfaces (2)

DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

- Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
  - 96"W worksurfaces have two grommets.
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, jumper and duplexes separately.
  - Each grommet has 2 duplex locations
  - Order support legs separately.
  - 96" wide elements require a center support leg (ordered separately)
  - 96" wide elements require a 48" power jumper in the center
  - Data Port Plates are included

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVED.4848-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

4-CIRCUIT, 48" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.4848-E4	1"	48"	49.5"		\$3,121
FVED.4854-E4	1"	54"	49.5"		\$3,232
FVED.4860-E4	1"	60"	49.5"		\$3,407
FVED.4866-E4	1"	66"	49.5"		\$3,551
FVED.4872-E4	1"	72"	49.5"		\$3,695
FVED.4878-E4	1"	78"	49.5"		\$3,837
FVED.4884-E4	1"	84"	49.5"		\$3,980
FVED.4896-E4	1"	96"	49.5"		\$7,586

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

4-CIRCUIT, 60" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVED.6048-E4	1"	48"	61.5"		\$3,267
FVED.6054-E4	1"	54"	61.5"		\$3,391
FVED.6060-E4	1"	60"	61.5"		\$3,407
FVED.6066-E4	1"	66"	61.5"		\$3,664
FVED.6072-E4	1"	72"	61.5"		\$3,902
FVED.6078-E4	1"	78"	61.5"		\$4,061
FVED.6084-E4	1"	84"	61.5"		\$4,219
FVED.6096-E4	1"	96"	61.5"		\$8,130

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, 120° 3 Pack  
NON-POWERED

DESCRIPTION

Starter/End Elements are required at the start and end of every run.

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7



NOTES

Starter/End Elements:


- Order another Starter/End Element (required) separately to complete run.
- Order Extension Elements (optional) to expand a run.
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).

ORDER EXAMPLE

**product #:** FVE120.2436-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White



Support Structure



Worksurface


NON-POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVE120.2436-N	1"	36"	49.5"		\$6,230
FVE120.2442-N	1"	42"	49.5"		\$7,089
FVE120.2448-N	1"	48"	49.5"		\$7,990

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Extension Element, 120° 3 Pack  
POWERED



DESCRIPTION

Extension Elements are used to expand a run between two Starter/End Elements.

Includes a support structure with wire management trough, and (3) worksurfaces with access grommets.  
Data Port Plates are included

NOTES

- Extension Elements:
- Order two Starter/End Elements (required) separately to complete a run.
  - Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, jumper, and duplexes separately.
  - Each grommet has 2 duplex locations
  - Data Port Plates are included


SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7


ORDER EXAMPLE

**product #:** FVE120.2436-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

EXTENSION ELEMENTS



Support Structure




Worksurface

POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVE120.2436-E4	1"	36"	49.5"		\$7,246
FVE120.2442-E4	1"	42"	49.5"		\$8,107
FVE120.2448-E4	1"	48 "	49.5"		\$9,008

Stand-Alone Element, Single-Sided  
NON-POWERED



DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and worksurfaces with (2) access grommets.

NOTES


- Stand-Alone Elements:
- Order support legs separately
  - 96"W worksurfaces have two grommets.
  - 96" worksurfaces require a center support. Order separately.

SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVSAES.2496-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White



Support Structure



Worksurface


NON-POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.2496-N	1"	96"	25.5"		\$3,288

NON-POWERED, 30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.3096-N	1"	96"	31.5"		\$3,464

Stand-Alone Element, Single-Sided  
NON-POWERED



DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and one work surface with (2) access grommets.

NOTES


- Stand-Alone Elements:
- Order support legs separately

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVSAES.2448-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White



24" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.2448-N	1"	48"	25.5"		\$1,605
FVSAES.2450-N	1"	50"	25.5"		\$1,637
FVSAES.2454-N	1"	54"	25.5"		\$1,671
FVSAES.2460-N	1"	60"	25.5"		\$1,781
FVSAES.2462-N	1"	62"	25.5"		\$1,826
FVSAES.2466-N	1"	66"	25.5"		\$1,871
FVSAES.2472-N	1"	72"	25.5"		\$1,959
FVSAES.2478-N	1"	78"	25.5"		\$2,046
FVSAES.2484-N	1"	84"	25.5"		\$2,137

30" DEPTH


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.3048-N	1"	48"	31.5"		\$1,677
FVSAES.3050-N	1"	50"	31.5"		\$1,715
FVSAES.3054-N	1"	54"	31.5"		\$1,757
FVSAES.3060-N	1"	60"	31.5"		\$1,869
FVSAES.3062-N	1"	62"	31.5"		\$1,898
FVSAES.3066-N	1"	66"	31.5"		\$1,927
FVSAES.3072-N	1"	72"	31.5"		\$2,063
FVSAES.3078-N	1"	78"	31.5"		\$2,159
FVSAES.3084-N	1"	84"	31.5"		\$2,256

## Stand-Alone Element, Single-Sided

### POWERED



Support Structure



Worksurface

#### DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and one worksurface with (2) access grommets. Data Port Plates are included

#### NOTES

Stand-Alone Elements:

- Order support legs separately
- 96"W worksurfaces have two grommets
- 96" worksurfaces require a center support. Order separately

Powered:

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately
- 96" wide elements require a center support leg (ordered separately)
- 96" wide elements require a 48" power jumper in the center (order separately)
- Data Port Plates are included

#### SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

#### ORDER EXAMPLE

**product #:** FVSAES.2496-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

#### 4-CIRCUIT, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.2496-E4	1"	96"	25.5"		\$3,622

#### NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately



#### 4-CIRCUIT, 30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.3096-E4	1"	96"	31.5"		\$3,797


#### NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

Stand-Alone Element, Single-Sided  
POWERED



Support Structure



Worksurface

DESCRIPTION

Stand-Alone Elements require support legs. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and one worksurface with (2) access grommets. Data Port Plates are included

NOTES

Stand-Alone Elements:

- Order support legs separately

Powered:

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately
- Each grommet has 2 duplex locations
- Order support legs separately
- Data Port Plates are included

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVSAES.2448-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

4-CIRCUIT, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.2448-E4	1"	48"	25.5"		\$1,677
FVSAES.2450-E4	1"	50"	25.5"		\$1,709
FVSAES.2454-E4	1"	54"	25.5"		\$1,743
FVSAES.2460-E4	1"	60"	25.5"		\$1,853
FVSAES.2462-E4	1"	62"	25.5"		\$1,935
FVSAES.2466-E4	1"	66"	25.5"		\$1,943
FVSAES.2472-E4	1"	72"	25.5"		\$2,032
FVSAES.2478-E4	1"	78"	25.5"		\$2,118
FVSAES.2484-E4	1"	84"	25.5"		\$2,209

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately

4-CIRCUIT, 30" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAES.3048-E4	1"	48"	31.5"		\$1,749
FVSAES.3050-E4	1"	50"	31.5"		\$1,790
FVSAES.3054-E4	1"	54"	31.5"		\$1,829
FVSAES.3060-E4	1"	60"	31.5"		\$1,941
FVSAES.3062-E4	1"	62"	31.5"		\$1,970
FVSAES.3066-E4	1"	66"	31.5"		\$1,999
FVSAES.3072-E4	1"	72"	31.5"		\$2,135
FVSAES.3078-E4	1"	78"	31.5"		\$2,231
FVSAES.3084-E4	1"	84"	31.5"		\$2,328


NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed and duplexes separately



## Stand-Alone Element, Double-Sided

### NON-POWERED



#### DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with wire management trough, and two worksurfaces with access grommet.

#### NOTES

Stand-Alone Elements:

- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
- 96"W worksurfaces have two grommets.
- 96" worksurfaces require a center support. Order separately.
- 96" wide elements require a center support leg (ordered separately)

#### SPECIFICATION OPTIONS

**product #:** see charts below

**worksurface finish:** see page 7

**edge finish:** see page 7

**finish:** see page 7

**support selection:** CON1SD Concave or CON2SD Concave or STRAIGHT LEG

#### ORDER EXAMPLE


**product #:** FVSAED.4848-N

**worksurface finish:** M1 Light Maple


**edge finish:** E1 Light Maple

**finish:** CW Cloud White

**support selection:** CON2SD



Support Structure



Worksurfaces (2)



#### NON-POWERED, 48" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.4848-N	1"	48"	49.5"		\$2,171
FVSAED.4854-N	1"	54"	49.5"		\$2,277
FVSAED.4860-N	1"	60"	49.5"		\$2,456
FVSAED.4866-N	1"	66"	49.5"		\$2,598
FVSAED.4872-N	1"	72"	49.5"		\$2,740
FVSAED.4878-N	1"	78"	49.5"		\$2,883
FVSAED.4884-N	1"	84"	49.5"		\$3,026
FVSAED.4896-N	1"	96"	49.5"		\$4,823

#### NON-POWERED, 60" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.6048-N	1"	48"	61.5"		\$2,315
FVSAED.6054-N	1"	54"	61.5"		\$2,440
FVSAED.6060-N	1"	60"	61.5"		\$2,629
FVSAED.6066-N	1"	66"	61.5"		\$2,710
FVSAED.6072-N	1"	72"	61.5"		\$2,947
FVSAED.6078-N	1"	78"	61.5"		\$3,107
FVSAED.6084-N	1"	84"	61.5"		\$3,264
FVSAED.6096-N	1"	96"	61.5"		\$5,760

Stand-Alone Element, Double-Sided  
POWERED



Support Structure



Worksurfaces (2)

DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure with 4-circuit power block, wire management trough, and two worksurfaces with access grommet. Data Port Plates are included

NOTES

- Stand-Alone Elements:
- Order supports separately (supporting legs, pedestals, cabinets, credenzas).
  - 96"W worksurfaces have two grommets.
  - 96" worksurfaces require a center support. Order separately.
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, jumper and duplexes separately
  - Each grommet has 2 duplex locations
  - Order support legs separately.
  - 96" wide elements require a center support leg (ordered separately)
  - 96" wide elements require a 48" power jumper in the center
  - Data Port Plates are included

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7  
**support selection:** CON1SD Concave or CON2SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #:** FVSAED.4848-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White  
**support selection:** CON2SD

4-CIRCUIT, 48" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.4848-E4	1"	48"	49.5"		\$2,445
FVSAED.4854-E4	1"	54"	49.5"		\$2,551
FVSAED.4860-E4	1"	60"	49.5"		\$2,731
FVSAED.4866-E4	1"	66"	49.5"		\$2,872
FVSAED.4872-E4	1"	72"	49.5"		\$2,975
FVSAED.4878-E4	1"	78"	49.5"		\$3,158
FVSAED.4884-E4	1"	84"	49.5"		\$3,300
FVSAED.4896-E4	1"	96"	49.5"		\$5,097

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately


4-CIRCUIT, 60" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAED.6048-E4	1"	48"	61.5"		\$2,589
FVSAED.6054-E4	1"	54"	61.5"		\$2,715
FVSAED.6060-E4	1"	60"	61.5"		\$2,905
FVSAED.6066-E4	1"	66"	61.5"		\$2,987
FVSAED.6072-E4	1"	72"	61.5"		\$3,222
FVSAED.6078-E4	1"	78"	61.5"		\$3,381
FVSAED.6084-E4	1"	84"	61.5"		\$3,539
FVSAED.6096-E4	1"	96"	61.5"		\$6,034

NOTES

- Includes a 4-circuit power block
- Order 4-circuit power infeed, jumper, and duplexes separately

Stand-Alone Element, 120° 3 Pack  
NON-POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure wire management trough, and (3) worksurfaces with access grommets.

NOTES


- Cannot be part of a longer run. Can be placed next to units built with Elements.
- Order legs separately.
- Wire management troughs connect unit alone, do not connect to adjacent elements.

SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7  
**support selection:** CON2SD Concave or CON3SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #:** FVSA120.2436-N  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White  
**support selection:** STRAIGHT LEG



Support Structure




Worksurface

NON-POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAE120.2436-N	1"	36"	49.5"		\$5,608
FVSAE120.2442-N	1"	42"	49.5"		\$6,699
FVSAE120.2448-N	1"	48"	49.5"		\$7,423

Stand-Alone Element, 120° 3 Pack  
POWERED



DESCRIPTION

Stand-Alone Elements require supports. They should not connect to a Start/End Element or Extension Element.

Includes a support structure wire management trough, and (3) worksurfaces with access grommets.

Jumpers for each top

Data Port Plates are included

NOTES


- Cannot be part of a longer run. Can be placed next to units built with Elements.
  - Order legs separately
  - Wire management troughs connect unit alone, do not connect to adjacent elements.
- Powered:
- Includes a 4-circuit power block.
  - Order 4-circuit power infeed, and duplexes separately.
  - Each grommet has 2 duplex locations
  - Data Port Plates are included

SPECIFICATION OPTIONS


**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7  
**support selection:** CON2SD Concave or CON3SD Concave or STRAIGHT LEG

ORDER EXAMPLE

**product #:** FVSAE120.2436-E4  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White  
**support selection:** STRAIGHT LEG



Support Structure



Worksurface

POWERED, 24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSAE120.2436-E4	1"	36"	49.5"		\$6,858
FVSAE120.2442-E4	1"	42"	49.5"		\$7,717
FVSAE120.2448-E4	1"	48"	49.5"		\$8,441

## Worksurface Supports, Single-Sided

FOR START/END OF RUN

### DESCRIPTION

Worksurface supports for single-sided Starter/End Elements.

### SPECIFICATION OPTIONS

**product #:** see charts below

**finish:** see page 7

**left or right (if applicable):** L for Left, R for Right

### NOTES

- Specify paint finish.
- Specify the correct size for unit.


### ORDER EXAMPLE

**product #:** FVTLS.24

**finish:** CW Cloud White

**left or right (if applicable):** L for Left

### TRIANGLE LEG SINGLE-SIDED 25.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTLS.24L	—	25.5"	—	—	\$242
FVTLS.24R	—	25.5"	—	—	\$242

### NOTES

For single-sided 24" deep units.  
For use at the start or end of a run only.  
Specify L for Left and R for Right.

### TRIANGLE LEG SINGLE-SIDED 31.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTLS.30L	—	31.5"	—	—	\$259
FVTLS.30R	—	31.5"	—	—	\$259

### NOTES

For single-sided 30" deep units.  
For use at the start or end of a run only.  
Specify L for Left and R for Right.

### TRAPEZOID LEG SINGLE-SIDED 25.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTZLS.24L	—	25.5"	—	—	\$325
FVTZLS.24R	—	25.5"	—	—	\$325

### NOTES

For single-sided 24" deep units.  
For use at the start or end of a run only.  
Specify L for Left and R for Right.

### TRAPEZOID LEG SINGLE-SIDED 31.5" WIDE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTZLS.30L	—	25.5"	—	—	\$356
FVTZLS.30R	—	25.5"	—	—	\$356

### NOTES

For single-sided 30" deep units.  
For use at the start or end of a run only.  
Specify L for Left and R for Right.


Worksurface Supports, Single-Sided  
FOR START/END OF A RUN continued

TAPER LEG  
SINGLE-SIDED  
24"/30"



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVATPS.24L	—	24"	—	—	\$704
FVATPS.24R	—	24"	—	—	\$704
FVATPS.30L	—	30"	—	—	\$712
FVATPS.30R	—	30"	—	—	\$712

INSET LEG  
SINGLE-SIDED  
24"/30"



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVAINS.24L	—	24"	—	—	\$633
FVAINS.24R	—	24"	—	—	\$633
FVAINS.30L	—	30"	—	—	\$643
FVAINS.30R	—	30"	—	—	\$643

WORKSURFACE SUPPORTS

## Worksurface Supports, Single-Sided

FOR CENTER OF A RUN

### DESCRIPTION

Worksurface supports for single-sided Extension Elements.

### NOTES

- Not for use with Stand Alone Elements.
- Specify paint finish.
- Specify the correct size for unit.


### SPECIFICATION OPTIONS

**product #:** see charts below  
**finish:** CW Cloud White

### ORDER EXAMPLE

**product #:** FVCLS-O  
**finish:** CW Cloud White


### OPEN CENTER LEG SINGLE-SIDED 24"/30" DEEP UNIT



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCLS-O	—	—	—	—	<b>\$354</b>

- NOTES
- For single-sided 24" or 30" deep units.
  - For use at the center of a run only.
  - Leg style is open.

### ENCLOSED CENTER LEG SINGLE-SIDED 24"/30" DEEP UNIT



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCLS-C	—	—	—	—	<b>\$690</b>

- NOTES
- For single-sided 24" or 30" deep units.
  - For use at the center of a run only.
  - Leg style is enclosed.

### TAPER LEG SINGLE-SIDED 24"/30"



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCATPS.24	—	24"	—	—	<b>\$740</b>
FVCATPS.30	—	30"	—	—	\$748

- NOTES
- For single-sided 24" or 30" deep units.
  - For use at the center of a run only.
  - Leg style is open.

### INSET LEG SINGLE-SIDED 24"/30"




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCAINS.24	—	24"	—	—	<b>\$670</b>
FVCAINS.30	—	30"	—	—	\$680

- NOTES
- For single-sided 24" or 30" deep units.  
For use at the center of a run only.  
Leg style is open.

Worksurface Supports, Double-Sided  
FOR START/END OF A RUN


DESCRIPTION	SPECIFICATION OPTIONS
Worksurface supports for double-sided Starter/End Elements or stand alone elements	<b>product #:</b> see charts below <b>finish:</b> see page 5
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"><li>Specify paint finish.</li><li>Specify the correct size for unit.</li></ul>	<b>product #:</b> FVTLD.48 <b>finish:</b> CW Cloud White

TRIANGLE LEG  
DOUBLE-SIDED  
49.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVTLD.48	—	49.5"	—	—	\$322	<ul style="list-style-type: none"><li>Worksurface support leg for double-sided structure.</li><li>For double-sided 24" deep units.</li><li>For use at the start or end of a run only or stand alone elements.</li><li>Use with straight support beam</li></ul>

TRIANGLE LEG  
DOUBLE-SIDED  
61.5" WIDE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVTLD.60	—	61.5"	—	—	\$347	<ul style="list-style-type: none"><li>Worksurface support leg for double-sided structure.</li><li>For double-sided 30" deep units.</li><li>For use at the start or end of a run only or stand alone elements.</li><li>Use with straight support beam</li></ul>

TRAPEZOID LEG  
DOUBLE-SIDED  
49.5" WIDE




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVTZLD.48	—	49.5"	—	—	\$438	<ul style="list-style-type: none"><li>Worksurface support leg for double-sided structure.</li><li>For double-sided 24" deep units.</li><li>For use at the start or end of a run only or stand alone elements.</li><li>Use with straight support beam</li></ul>

TRAPEZOID LEG  
DOUBLE-SIDED  
61.5" WIDE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVTZLD.60	—	61.5"	—	—	\$495	<ul style="list-style-type: none"><li>Worksurface support leg for double-sided structure.</li><li>For double-sided 30" deep units.</li><li>For use at the start or end of a run only or stand alone elements.</li><li>Use with straight support beam</li></ul>

WORKSURFACE ATTACHMENT  
BRACKET PAIR



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVFB.08	—	8"	2"	—	\$40	<ul style="list-style-type: none"><li>Worksurface brackets that attach a single-sided Stand Alone Element at the end of a double-sided run.</li><li>Finish on the bracket pair is BU Burnt Umber.</li></ul>



Taper & Inset End of Run Support

DESCRIPTION

Taper and Inset Legs for use with the Verity system

SPECIFICATION OPTIONS


**product #:** see charts below  
**finish:** see page 7

NOTES

- Includes straight support bar
- For use at end of run

Straight Support Bar

TAPER LEG




PART #	HEIGHT	DEPTH	LIST
FVSATPLD.48	27.5"	48"	\$1,017
FVSATPLD.60	27.5"	60"	\$1,034

NOTES

- Attaches to the underside of a worksurface
- Supports worksurface at the end of run
- Use with straight support beam

INSET LEG



PART #	HEIGHT	DEPTH	LIST
FVSAINLD.48	27.5"	48"	\$1,156
FVSAINLD.60	27.5"	60"	\$1,172

NOTES


- Attaches to the underside of a worksurface
- Supports worksurface at the end of run
- Use with straight support beam

Taper & Inset End of Run Support continued

DESCRIPTION	SPECIFICATION OPTIONS
Taper and Inset Legs for use with the Verity system	<b>product #:</b> see charts below <b>finish:</b> see page 7
NOTES	
<ul style="list-style-type: none"><li>Includes concave support bar</li><li>For use at end of run</li></ul>	


Concave Support Bar

TAPER LEGS



PART #	HEIGHT	DEPTH	LIST	NOTES
FVCATPLD.48	27.5"	48"	\$1,028	<ul style="list-style-type: none"><li>Attaches to the underside of a worksurface at end of run</li><li>Use with concave support beam</li><li>Order start/end or stand alone element separately</li></ul>
FVCATPLD.60	27.5"	60"	\$1,055	

INSET LEGS




PART #	HEIGHT	DEPTH	LIST	NOTES
FVCAINLD.48	27.5"	48"	\$1,167	<ul style="list-style-type: none"><li>Attaches to the underside of a worksurface at end of run</li><li>Use with concave support beam</li><li>Order start/end or stand alone element separately</li></ul>
FVCAINLD.60	27.5"	60"	\$1,196	

WORKSURFACE SUPPORTS

Worksurface Supports, Double-Sided  
FOR CENTER OF A RUN


DESCRIPTION	SPECIFICATION OPTIONS
Worksurface supports for double-sided Extension Elements.	<b>product #:</b> see charts below <b>finish:</b> see page 5
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"><li>• Not for use with Stand Alone Elements.</li><li>• Specify paint finish.</li><li>• Specify the correct size for unit.</li></ul>	<b>product #:</b> FVCLD-O <b>finish:</b> CW Cloud White

OPEN CENTER LEG  
DOUBLE-SIDED  
48"/60" DEEP UNIT



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVCLD-O	—	—	—	—	\$425	<ul style="list-style-type: none"><li>• For double-sided 24" or 30" deep units.</li><li>• For use at the center of a run only.</li><li>• Leg style is open.</li></ul>

ENCLOSED  
CENTER LEG  
DOUBLE-SIDED  
48"/60" DEEP UNIT



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVCLD-C	—	—	—	—	\$723	<ul style="list-style-type: none"><li>• For double-sided 24" or 30" deep units.</li><li>• For use at the center of a run only.</li><li>• Leg style is enclosed.</li></ul>

Worksurface Supports, Double-Sided continued  
FOR CENTER OF A RUN


CENTER TAPER LEG  
DOUBLE-SIDED  
48"/60" DEEP UNIT

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCLD-T	—	—	—	—	\$1,263

NOTES

For double-sided 24" or 30" deep units.

For use at the center of a run only




CENTER INSET LEG  
DOUBLE-SIDED  
48"/60" DEEP UNIT

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCLD-I	—	—	—	—	\$1,123

NOTES


For double-sided 24" or 30" deep units.

For use at the center of a run only



WORKSURFACE SUPPORTS

# Supporting Pedestals




DESCRIPTION	SPECIFICATION OPTIONS
Storage supports elements on one side.	<b>product #:</b> see charts below <b>front, casing &amp; worksurface finish (if applicable):</b> See worksurface laminates on page 7 <b>pull:</b> See page 8
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"><li>• Order storage attachment bracket separately.</li><li>• Specify worksurface finish for pedestal top and front for drawers and for casing</li><li>• Specify pull when ordering</li><li>• Includes pencil tray in top drawer</li></ul>	<b>product #:</b> FVBBF.24-LAM <b>front finish:</b> M1 Light Maple <b>worksurface finish:</b> M1 Light Maple <b>casing finish:</b> M29 Raven


## STORAGE PULL OPTIONS



Wedge Pull  
• Brushed Aluminum  
• Black Umber




Designer Pull  
• Cloud White/Red  
• Cloud White/Green  
• Cloud White/Grey



Slant Pull  
• Brushed Aluminum  
• Black Umber


## SUPPORTING BOX/BOX/FILE PEDESTAL 24" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBBF.24-LAM	29.5"	15.5"	24.75"	—	\$1,624	<ul style="list-style-type: none"><li>• Supporting laminate pedestal storage with drawers and pulls.</li><li>• Worksurface height.</li><li>• Order storage attachment bracket (Part # FVSS.XX) separately on pg 57</li><li>• Can be freestanding.</li><li>• Specify worksurface finish for pedestal top, front finish for drawers and for casing.</li><li>• Specify pull when ordering</li><li>• Includes pencil tray in top drawer</li></ul>


## Supporting Storage, Pedestals...continued

### SUPPORTING BOX/BOX/FILE PEDESTAL 30" DEPTH




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBBF.30-LAM	29.5"	15.5"	30.75"	—	\$1,755	<ul style="list-style-type: none"> <li>Supporting laminate pedestal storage with drawers and pulls.</li> <li>Worksurface height.</li> <li>Order storage attachment bracket (Part # FVSS.XX) separately on pg 57)</li> <li>Can be freestanding.</li> <li>Specify worksurface finish for pedestal top, front finish for drawers and for casing.</li> <li>Specify pull when ordering</li> <li>Includes pencil tray in top drawer</li> </ul>

### SUPPORTING FILE/FILE PEDESTAL 24" DEPTH




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVFF.24-LAM	29.5"	15.5"	24.75"	—	\$1,624	<ul style="list-style-type: none"> <li>Supporting laminate pedestal storage with drawers and pulls.</li> <li>Worksurface height.</li> <li>Order storage attachment bracket (Part # FVSS.XX) separately on pg 57</li> <li>Can be freestanding.</li> <li>Specify worksurface finish for pedestal top, front finish for drawers and for casing.</li> <li>Specify pull when ordering</li> <li>Includes pencil tray in top drawer</li> </ul>

### SUPPORTING FILE/FILE PEDESTAL 30" DEPTH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVFF.30-LAM	29.5"	15.5"	30.75"	—	\$1,755	<ul style="list-style-type: none"> <li>Supporting laminate pedestal storage with drawers and pulls.</li> <li>Worksurface height.</li> <li>Order storage attachment bracket (Part # FVSS.XX) separately on pg 57</li> <li>Can be freestanding.</li> <li>Specify worksurface finish for pedestal top, front finish for drawers and for casing.</li> <li>Specify pull when ordering</li> <li>Includes pencil tray in top drawer</li> </ul>

## Supporting Credenzas



### DESCRIPTION

Laminate storage credenzas with open shelves and sliding doors with pull.

### NOTES

- Specify: Top, Front, Case, Pull & Foot.
- Pulls have color options: specify color when ordering. (See page 8)
- Specify L for left or R for right indicating door pull location.


### SPECIFICATION OPTIONS

**product #:** see charts below  
**front finish:** see page 7  
**top finish:** see page 7  
**casing finish:** see page 7  
**left or right:** L for Left, R for Right  
**pull:** See page 8  
**foot finish:** BU, CW, SV

### ORDER EXAMPLE


**product #:** FVBSC.1860  
**front finish:** M1 Light Maple  
**top finish:** M1 Light Maple  
**casing finish:** M29 Raven  
**left or right:** L for Left  
**pull:** Wedge, brushed aluminum  
**foot finish:** CW

## CREDENZA



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBSC.1848 L/R	21.25"	48"	17.75"	—	\$1,518	Specify L for left or R for right indicating door pull location
FVBSC.1860 L/R	21.25"	60"	17.75"	—	\$1,718	
FVBSC.1872 L/R	21.25"	72"	17.75"	—	\$1,981	Specify: Top, Front, Case, Pull & Foot finish

Supporting Cabinets



DESCRIPTION

Storage support elements on one side.

SPECIFICATION OPTIONS

**product #:** see charts below  
**front, casing & worksurface finish (if applicable):** See worksurface laminates on page 7  
**fabric:** See page 5


NOTES

- Order storage attachment bracket separately (pg 57).
- Specify worksurface finish for top and for casing
- Specify fabric on page 5


ORDER EXAMPLE

**product #:** FVWSTT.1824  
**front finish:** M1 Light Maple  
**worksurface finish:** M1 Light Maple  
**casing finish:** M29 Raven  
**fabric:** PF401-Silky-Natural


SUPPORTING CABINET: TACKBOARD & BOOKCASE



front shown



FRONT




BACK

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVWSTT.1824	45"	24.75"	18"	—	\$1,516
FVWSTT.1830	45"	30.75"	18"	—	\$1,742


NOTES

Supporting laminate cabinets with tackboard top and open bookcase bottom on one side, with open top and solid surface on the opposite side. Specify fabric for tackboard.

SUPPORTING CABINET: OPEN & BOOKCASE



front shown



FRONT




BACK

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVWSTO.1824	45"	24.75"	18"	—	\$1,267
FVWSTO.1830	45"	30.75"	18"	—	\$1,405


NOTES

Supporting laminate cabinets with open top and open bookcase bottom on one side, with solid surface on the opposite side.


SUPPORTING CABINET: TACKBOARD & SHARED BOOKCASE



front shown



FRONT



BACK

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVWSTS.1824	45"	24.75"	18"	—	\$1,627
FVWSTS.1830	45"	30.75"	18"	—	\$1,914

NOTES

Supporting laminate cabinets with tackboard top and shared bookcase bottom on both sides. Shared bookcase has one open shelf and one solid surface on each side. Specify fabric for tackboard.



## Supporting Storage Attachment Brackets

### DESCRIPTION

Worksurface attachment brackets for use with supporting storage.

### NOTES

- Specify paint finish.
- Specify the correct size for unit.


### SPECIFICATION OPTIONS

**product #:** see charts below  
**finish:** see page 7

### ORDER EXAMPLE

**product #:** FVCLD  
**finish:** CW Cloud White

### STORAGE ATTACHMENT BRACKET, 48" DEEP




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSS.24	—	—	48"	—	\$234

### NOTES

**For use at the start or end of a run only.**

Supports two 24" deep tops.  
Worksurface supporting bracket for attaching pedestal or cabinet.  
Order one attachment bracket per attachment location.

### STORAGE ATTACHMENT BRACKET, 60" DEEP




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSS.30	—	—	60"	—	\$259

### NOTES

**For use at the start or end of a run only.**

Supports two 30" deep tops.  
Worksurface supporting bracket for attaching pedestal or cabinet.  
Order one attachment bracket per attachment location.

### CREDENZA ATTACHMENT BRACKET DOUBLE-SIDED 24"/30" DEEP UNIT




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCCLD	—	—	—	—	\$331

### NOTES

**For use at the center of a run only.**

For double-sided 24" or 30" deep units.  
Used with two supporting credenzas to support the worksurface.

Gallery Panels, Double Sided, End of Run



DESCRIPTION

Laminate gallery panels connect to the end of a Verity run

NOTES

- Used at the end of a Verity run
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support. Legs are still required

SPECIFICATION OPTIONS

**product #:** see charts below  
**surface finish:** See page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVGPEORD.2948  
**surface finish:** M10 Espresso  
**finish:** CW


29" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FVGPEORD.2948	29"	50.5"	1"	\$705
FVGPEORD.2960	29"	62.5"	1"	\$784

44" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FVGPEORD.4448	44"	50.5"	1"	\$885
FVGPEORD.4460	44"	62.5"	1"	\$1,003

# Gallery Panels, Single Sided, End of Run



## DESCRIPTION

Laminate gallery panels connect to the end of a Verity run

## NOTES

- Used at the end of a Verity run
- Attachment hardware is included.
- Gallery panels provide modesty, not structural support. Legs are still required

## SPECIFICATION OPTIONS

**product #:** see charts below  
**surface finish:** See page 7  
**finish:** see page 7

## ORDER EXAMPLE

**product #:** FVGPEORS.2930L  
**surface finish:** M10 Espresso  
**finish:** CW

## 29" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FVGPEORS.2924L	29"	24.5"	1"	\$545
FVGPEORS.2924R	29"	24.5"	1"	\$545
FVGPEORS.2930L	29"	30.5"	1"	\$585
FVGPEORS.2930R	29"	30.5"	1"	\$585

## 44" HIGH

PART #	HEIGHT	WIDTH	DEPTH	PRICE
FVGPEORS.4424L	44"	24.5"	1"	\$652
FVGPEORS.4424R	44"	24.5"	1"	\$652
FVGPEORS.4430L	44"	30.5"	1"	\$711
FVGPEORS.4430R	44"	30.5"	1"	\$711

Electrical Distribution

DESCRIPTION	SPECIFICATION OPTIONS
Electrical distribution components.	<b>product #:</b> see charts below
NOTES	ORDER EXAMPLE
	<b>product #:</b> FVBPI.4CIR

4-CIRCUIT  
POWER INFEED




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBPI.4CIR	—	6'	—	—	\$466	Hardwire power infeed for use with 4-circuit power distribution.  MUST BE HARDWIRED BY AN ELECTRICIAN.

POWER POLE

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVPP-S	—	—	—	—	\$1,022	Connects a ceiling electrical supply to the trough of a powered element. Distributes up to four 20-amp circuits.  Includes a rigid conduit and conduit connector, factory installed power harness, 12' pole. <ul style="list-style-type: none"><li>Attaches to Single side unit order FVPP-S.</li><li>Double sided order FVPP-D. Available in CW only.</li></ul> MUST BE HARDWIRED BY AN ELECTRICIAN.
FVPP-D	—	—	—	—	\$1,022	

RECEPTACLE  
4-CIRCUITS



PART #	DESCRIPTION	LIST	NOTES
FVRECP.I	circuit A	\$39	Provides access to I, II, III, IIII circuit.
FVRECP.II	circuit B	\$39	
FVRECP.III	circuit C	\$39	Provides dedicated circuit with "IIII" receptacle. Receptacle -CONT are permanently marked CONTROLLED on the face of the receptacle and must be connected to a timer or motion sensor at the infeed location by a licensed electrician in order to comply with California T24
FVRECP.IIIII	circuit D (dedicated)	\$39	
FVRECP.II-CONT	circuit B	\$39	
FVRECP.III-CONT	circuit C	\$39	


WIRE MANAGER



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVWM	28"	—	—	—	\$174	A housing that conceals power & other wires from the floor to the trough.  Wire manager is 6.5" wide x 2" deep  CW, BU, or SV finish.

## Electrical Distribution continued

### DATA PORT PLATE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVDPP	2.125	3.625	0.25	0.10	\$63

#### NOTES


For use with non-powered structures only.

Includes four port locations and comes with one blank insert.

Data port plates are included with powered Elements.

Available in BU, CW, SV

### DOUBLE SIDED CONNECTING TROUGH




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-DCT	—	—	—	—	\$208

#### NOTES

Included in the elements and sold here separately for special situations.

### SINGLE SIDED CONNECTING TROUGH




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-SCT	—	—	—	—	\$134

#### NOTES

Included in the elements and sold here separately for special situations.

### DOUBLE SIDED TROUGH, POWERED




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-DT-E4	—	—	—	—	\$512

#### NOTES

Included in the elements and sold here separately for special situations.

Order Duplexes/infeed jumpers separate

### SINGLE SIDED TROUGH, POWERED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FV-ST-E4	—	—	—	—	\$262

#### NOTES

Included in the elements and sold here separately for special situations.

Order Duplexes/infeed jumpers separate

Electrical Distribution continued

4-CIRCUIT  
POWER JUMPER



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVJUMP.48	—	40"	—	—	\$366	Connects power from one Element to another.
FVJUMP.54	—	46"	—	—	\$397	
FVJUMP.60	—	52"	—	—	\$440	For a 96"W element, order one additional for middle 48" power jumper, FVJUMP.48.
FVJUMP.66	—	58"	—	—	\$479	
FVJUMP.72	—	64"	—	—	\$514	When connecting two elements of equal width, order Power Jumper to match width of elements.
FVJUMP.78	—	70"	—	—	\$555	
FVJUMP.84	—	76"	—	—	\$598	

When connecting two elements of different width, reference chart below for applicable Jumper size.


Power Jumper Sizing Chart

	48	54	60	66	72	78	84
48	FVJUMP.48	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66
54	FVJUMP.54	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72
60	FVJUMP.54	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72
66	FVJUMP.60	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78
72	FVJUMP.60	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78
78	FVJUMP.66	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84
84	FVJUMP.66	FVJUMP.72	FVJUMP.72	FVJUMP.78	FVJUMP.78	FVJUMP.84	FVJUMP.84

Example Jumper Calculation


Calculate the jumper needed between element A and element B.

- Step 1 - Take the width of the first element and find that number in the left column.  
A is 54" and 54 is the second row down in the table.
- Step 2 - Take the width of the second element and find that number across the top.  
B is 78" and 78 is sixth column to the right.
- Step 3 - Where the row and column intersect that is the required jumper needed.  
54 and 78 intersects at FVJUMP.66.



Electrical Distribution continued


CHICAGO POWER BOX  
SINGLE-SIDED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCPB.S					\$118

- | NOTES   |
|---|
| <ul style="list-style-type: none"><li>• Chicago Power Boxes house electrical components provided by others</li><li>• For use with non-powered Verity elements</li><li>• Can accommodate 2 duplexes (provided by others)</li></ul> |


CHICAGO POWER BOX  
DOUBLE-SIDED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVCPB.D					\$155

- | NOTES   |
|---|
| <ul style="list-style-type: none"><li>• Chicago Power Boxes house electrical components provided by others</li><li>• For use with non-powered Verity elements</li><li>• Can accommodate 4 duplexes (provided by others)</li></ul> |

Rectangular    Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add circular grommet (add \$75 list)  
Specify grommet location (see page 15)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge finish:** worksurface finish:  
see page 7

ORDER EXAMPLE

**product #:** FVRSW.2370  
**edge finish:** DT Dark Tone, E12  
**worksurface finish:** Light Maple, M1  
**grommet:** GC (Rear Center)


RECTANGULAR  
WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	PRICE	NOTES
FVRWS.2340	1"	23"	40"	\$392	Sizes are actual for example FVRSW.2358 is 23" x 58"
FVRWS.2346	1"	23"	46"	\$404	
FVRWS.2352	1"	23"	52"	\$477	
FVRWS.2358	1"	23"	58"	\$489	
FVRWS.2364	1"	23"	64"	\$562	
FVRWS.2370	1"	23"	70"	\$578	
FVRWS.2376	1"	23"	76"	\$705	
FVRWS.2382	1"	23"	82"	\$712	
FVRWS.2940	1"	29"	40"	\$463	
FVRWS.2946	1"	29"	46"	\$477	
FVRWS.2952	1"	29"	52"	\$564	
FVRWS.2958	1"	29"	58"	\$578	
FVRWS.2964	1"	29"	64"	\$670	
FVRWS.2970	1"	29"	70"	\$684	
FVRWS.2976	1"	29"	76"	\$843	
FVRWS.2982	1"	29"	82"	\$849	
FVRWS.3540	1"	35"	40"	\$488	
FVRWS.3546	1"	35"	46"	\$495	
FVRWS.3552	1"	35"	52"	\$869	
FVRWS.3558	1"	35"	58"	\$878	
FVRWS.3564	1"	35"	64"	\$888	
FVRWS.3570	1"	35"	70"	\$898	
FVRWS.3576	1"	35"	76"	\$906	
FVRWS.3582	1"	35"	82"	\$1,036	

WORKSURFACE (MY-HITE)




Rectangular Extension




Worksurfaces For Use w/ MY-HITE Base

DESCRIPTION	SPECIFICATION OPTIONS
Laminate worksurface, for use with extended curved corner worksurfaces, not for use alone.	<b>product #:</b> See charts below <b>worksurface finish:</b> See page 7
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"><li>For use in combination with Extended Corner Worksurfaces and Corner My-Hite Bases only</li><li>Not for use alone, nor with straight bases</li><li>Maximum width combined: 72x96" or 84x84"</li></ul>	<b>product #:</b> FVRWS.2324 <b>worksurface:</b> Light Maple, M1

RECTANGULAR WORKSURFACE




PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST	NOTES
FVRWS.2324	1"	23"	24"	\$308	<ul style="list-style-type: none"><li>Standard default grain direction is left to right (See left)</li></ul>
FVRWS.2330	1"	23"	30"	\$353	
FVRWS.2336	1"	23"	36"	\$364	
FVRWS.2924	1"	29"	24"	\$408	
FVRWS.2930	1"	29"	30"	\$465	
FVRWS.2936	1"	29"	36"	\$478	



PART #	HEIGHT	DEPTH "A"	WIDTH "E"	LIST	NOTES
FVRWS.2324-CG	1"	23"	24"	\$368	<ul style="list-style-type: none"><li>Cross grain direction is front to back (See left)</li></ul>
FVRWS.2330-CG	1"	23"	30"	\$422	
FVRWS.2336-CG	1"	23"	36"	\$436	
FVRWS.2924-CG	1"	29"	24"	\$490	
FVRWS.2930-CG	1"	29"	30"	\$559	
FVRWS.2936-CG	1"	29"	36"	\$574	

FLAT BRACKET




PART #	WIDTH	DEPTH	PRICE	NOTES
FVFB.08	8"	2"	\$40	<ul style="list-style-type: none"><li>Used to unite two worksurfaces supported by one base</li><li>Black finish</li><li>Sold in pairs</li></ul>

ANTI-SAG BARS



PART #	WIDTH	LIST	NOTES
FWASB.42	42"	\$124	<ul style="list-style-type: none"><li>Anti-Sag bar, 42" wide with (8) screws. For use with 48 &amp; 54" worktops</li><li>Anti-Sag bar, 54" wide with (10) screws. For use with 60 &amp; 66" worktops</li><li>Anti-Sag bar, 66" wide with (12) screws. For use with 72 &amp; 78" worktops</li></ul>
FWASB.54	54"	\$158	
FWASB.66	66"	\$191	

Wedge Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)  
Specify grommet location (see page 15)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge finish:** **worksurface finish:** see page 7

ORDER EXAMPLE

**product #:**FVWDWS.234029  
**edge finish:** DT Dark Tone, E12  
**worksurface finish:** Espresso, M10  
**grommet:** GC (Rear Center)

23"D LEFT  
23"D RIGHT


PART #	HEIGHT	A	B	C	D	PRICE
FVWDWS.234029	1"	23"	40"	29"	—	\$458
FVWDWS.234629	1"	23"	46"	29"	—	\$466
FVWDWS.235229	1"	23"	52"	29"	—	\$530
FVWDWS.235829	1"	23"	58"	29"	—	\$567
FVWDWS.236429	1"	23"	64"	29"	—	\$633
FVWDWS.237029	1"	23"	70"	29"	—	\$647
FVWDWS.237629	1"	23"	76"	29"	—	\$751

29"D LEFT  
23"D RIGHT

PART #	HEIGHT	A	B	C	D	PRICE
FVWDWS.294023	1"	29"	40"	23"	—	\$458
FVWDWS.294623	1"	29"	46"	23"	—	\$466
FVWDWS.295223	1"	29"	52"	23"	—	\$530
FVWDWS.295823	1"	29"	58"	23"	—	\$567
FVWDWS.296423	1"	29"	64"	23"	—	\$633
FVWDWS.297023	1"	29"	70"	23"	—	\$647
FVWDWS.297623	1"	29"	76"	23"	—	\$751

WORKSURFACE (MY-HITE)

D-Shaped Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

NOTES

- Add grommet (add \$75 list)  
Specify grommet location (see page 15)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge finish:** **worksurface finish:** see page 7


ORDER EXAMPLE

**product #:**FVEDSP.2346  
**edge finish:** DT Dark Tone, E12  
**worksurface finish:** Espresso, M10  
**grommet:** GC (Rear Center)

D-SHAPED

PART #	HEIGHT	A	B	C	D	PRICE
FVEDSP.2346	1"	46"	23"	—	—	\$590
FVEDSP.2358	1"	58"	23"	—	—	\$658
FVEDSP.2946	1"	46"	29"	—	—	\$647
FVEDSP.2958	1"	58"	29"	—	—	\$718
FVEDSP.2970	1"	70"	29"	—	—	\$783
FVEDSP.3570	1"	70"	35"	—	—	\$865

## 120° Corner / 90° Ends Worksurface For Use w/ MY-HITE Bases



### DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

### NOTES

- Add grommet (add \$75 list)  
Specify grommet location (see page 15)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

### SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge finish:** **worksurface finish:** see page 7


### ORDER EXAMPLE

**product #:** FV120-90WS.2334  
**edge finish:** DT Dark Tone, E12  
**worksurface finish:** Espresso, M10  
**grommet:** 120GR

### 120° CORNER 90° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FV120-90WS.2334	1"	23"	34"	—	—	\$845
FV120-90WS.2340	1"	23"	40"	—	—	\$1,041
FV120-90WS.2346	1"	23"	46"	—	—	\$1,297

## 120° Corner / 120° Ends Worksurface For Use w/ MY-HITE Bases



### DESCRIPTION

Worksurface top only, for use with height adjustable base within workstation application

### NOTES

- Add grommet (add \$75 list)  
Specify grommet location (see page 15)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points. We do not recommend using full size worktop in paneled workstation applications.

### SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge finish:** **worksurface finish:** see page 7


### ORDER EXAMPLE

**product #:** FV120-120WS.2334  
**edge finish:** DT Dark Tone, E12  
**worksurface finish:** Espresso, M10  
**grommet:** 120GR

### 120° CORNER 120° ENDS

PART #	HEIGHT	A	B	C	D	PRICE
FV120-120WS.2334	1"	23"	34"	—	—	\$845
FV120-120WS.2340	1"	23"	40"	—	—	\$1,041
FV120-120WS.2346	1"	23"	46"	—	—	\$1,297

Corner Worksurfaces For Use w/ MY-HITE Base



DESCRIPTION

Corner worksurface top only, for use with height adjustable base within workstation application.

NOTES

- Add circular grommet (add \$75 list)
- Specify grommet location (see page 15)
- Order base separately from MY-HITE pricebook

Note: Top size reduced 1" in depth and 2" in with to fit within system workstation and prevent pinch points. See system pricebook for details. We do not recommend using full size worktop in paneled workstation applications.

SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge finish:** **worksurface finish:** see page 7

ORDER EXAMPLE


**product #:** FVCWT.2340  
**edge finish:** DT Dark Tone, E12  
**worksurface finish:** Light Maple, M1  
**grommet:** GL

CORNER WORKSURFACE

PART #	HEIGHT	DEPTH	WIDTH	PRICE	NOTES
FVCWT.2340	1"	23"	40"	\$645	Sizes are actual for example FVCWT.2940 is 29" x 40"
FVCWT.2346	1"	23"	46"	\$682	
FVCWT.2940	1"	29"	40"	\$702	
FVCWT.2946	1"	29"	46"	\$737	

WORKSURFACE (MY-HITE)

90° Extended Curved Corner Worksurface For Use w/ MY-HITE Bases



DESCRIPTION

Laminate worksurface with 3mm PVC edge

NOTES

- Worksurface top only, for use with height adjustable base within workstation application
- See My-Hite pricebook for use inside a freestanding application
- Add circular grommet (add \$75 list)  
Specify grommet location (see page 15)
- Top size reduced 1" in depth and 2" in width to fit within system workstation and prevent pinch points.
- We do not recommend using full size worktop in paneled workstation applications

SPECIFICATION OPTIONS

**product #:** see charts below  
**top, edge, worksurface finish:** see page 7  
**left or right extended:** L for Left, R for Right

ORDER EXAMPLE

**product #:** FVECCWS.23345823L  
**top, edge finish:** E10 Espresso  
**worksurface finish:** M11 Light Walnut

23" D CONNECTING SIDE  
23" D EXTENSION  
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FVECCWS.23345823L	1"	23"	34"	58"	23"	\$740
FVECCWS.23345823R	1"	23"	34"	58"	23"	\$740
FVECCWS.23346423L	1"	23"	34"	64"	23"	\$824
FVECCWS.23346423R	1"	23"	34"	64"	23"	\$824
FVECCWS.23347023L	1"	23"	34"	70"	23"	\$838
FVECCWS.23347023R	1"	23"	34"	70"	23"	\$838
FVECCWS.23347623L	1"	23"	34"	76"	23"	\$1,004
FVECCWS.23347623R	1"	23"	34"	76"	23"	\$1,004
FVECCWS.23348223L	1"	23"	34"	82"	23"	\$1,114
FVECCWS.23348223R	1"	23"	34"	82"	23"	\$1,114

29" D CONNECTING SIDE  
29" D EXTENSION  
34" D

PART #	HEIGHT	A	B	C	D	PRICE
FVECCWS.29345829L	1"	29"	34"	58"	29"	\$810
FVECCWS.29345829R	1"	29"	34"	58"	29"	\$810
FVECCWS.29346429L	1"	29"	34"	64"	29"	\$895
FVECCWS.29346429R	1"	29"	34"	64"	29"	\$895
FVECCWS.29347029L	1"	29"	34"	70"	29"	\$906
FVECCWS.29347029R	1"	29"	34"	70"	29"	\$906
FVECCWS.29347629L	1"	29"	34"	76"	29"	\$1,074
FVECCWS.29347629R	1"	29"	34"	76"	29"	\$1,074
FVECCWS.29348229L	1"	29"	34"	82"	29"	\$1,180
FVECCWS.29348229R	1"	29"	34"	82"	29"	\$1,180

**23" D CONNECTING SIDE  
23" D EXTENSION  
40" D**

PART #	HEIGHT	A	B	C	D	PRICE
FVECCWS.23405823L	1"	23"	40"	58"	23"	\$891
FVECCWS.23405823R	1"	23"	40"	58"	23"	\$891
FVECCWS.23406423L	1"	23"	40"	64"	23"	\$1,002
FVECCWS.23406423R	1"	23"	40"	64"	23"	\$1,002
FVECCWS.23407023L	1"	23"	40"	70"	23"	\$1,017
FVECCWS.23407023R	1"	23"	40"	70"	23"	\$1,017
FVECCWS.23407623L	1"	23"	40"	76"	23"	\$1,232
FVECCWS.23407623R	1"	23"	40"	76"	23"	\$1,232
FVECCWS.23408223L	1"	23"	40"	82"	23"	\$1,376
FVECCWS.23408223R	1"	23"	40"	82"	23"	\$1,376

**29" D CONNECTING SIDE  
29" D EXTENSION  
40" D**

PART #	HEIGHT	A	B	C	D	PRICE
FVECCWS.29405829L	1"	29"	40"	58"	29"	\$959
FVECCWS.29405829R	1"	29"	40"	58"	29"	\$959
FVECCWS.29406429L	1"	29"	40"	64"	29"	\$1,070
FVECCWS.29406429R	1"	29"	40"	64"	29"	\$1,070
FVECCWS.29407029L	1"	29"	40"	70"	29"	\$1,086
FVECCWS.29407029R	1"	29"	40"	70"	29"	\$1,086
FVECCWS.29407629L	1"	29"	40"	76"	29"	\$1,302
FVECCWS.29407629R	1"	29"	40"	76"	29"	\$1,302
FVECCWS.29408229L	1"	29"	40"	82"	29"	\$1,444
FVECCWS.29408229R	1"	29"	40"	82"	29"	\$1,444

**23" D CONNECTING SIDE**  
**23" D EXTENSION**  
**46" D**

PART #	HEIGHT	A	B	C	D	PRICE
FVECCWS.23465823L	1"	23"	46"	58"	23"	\$904
FVECCWS.23465823R	1"	23"	46"	58"	23"	\$904
FVECCWS.23464623L	1"	23"	46"	64"	23"	\$1,017
FVECCWS.23464623R	1"	23"	46"	64"	23"	\$1,017
FVECCWS.23467023L	1"	23"	46"	70"	23"	\$1,040
FVECCWS.23467023R	1"	23"	46"	70"	23"	\$1,040
FVECCWS.23467623L	1"	23"	46"	76"	23"	\$1,266
FVECCWS.23467623R	1"	23"	46"	76"	23"	\$1,266
FVECCWS.23468223L	1"	23"	46"	82"	23"	\$1,420
FVECCWS.23468223R	1"	23"	46"	82"	23"	\$1,420













**29" D CONNECTING SIDE**  
**29" D EXTENSION**  
**46" D**

PART #	HEIGHT	A	B	C	D	PRICE
FVECCWS.29465829L	1"	29"	46"	58"	29"	\$974
FVECCWS.29465829R	1"	29"	46"	58"	29"	\$974
FVECCWS.29466429L	1"	29"	46"	64"	29"	\$1,086
FVECCWS.29466429R	1"	29"	46"	64"	29"	\$1,086
FVECCWS.29467029L	1"	29"	46"	70"	29"	\$1,110
FVECCWS.29467029R	1"	29"	46"	70"	29"	\$1,110
FVECCWS.29467629L	1"	29"	46"	76"	29"	\$1,335
FVECCWS.29467629R	1"	29"	46"	76"	29"	\$1,335
FVECCWS.29468229L	1"	29"	46"	82"	29"	\$1,483
FVECCWS.29468229R	1"	29"	46"	82"	29"	\$1,483



Ordering Verity Accessories & Storage

See below for a quick overview of the types of accessories and storage options available.


- **Return Worksurfaces**
- **Pedestals**
- **Credenzas**
- **Cabinets**
- **Over-worksurface Storage**
- **Fabric Tackboards**
- **Glass Screens**
- **Markerboards**
- **Metal Shelves**
- **Open Shelves**
- **Monitor Arms**
- **Modesty Panels**

Accessories are available as either track-mounted, worksurface-mounted, or available in both.

Accessories	Track-Mounted	Worksurface-Mounted
Fabric Tackboard	X	X
Glass Screen	X	X
Markerboard		X
Metal Shelf	X	
Open Shelf	X	
Monitor Arm	X	
Modesty Panel		X

Return Worksurface


Return Worksurfaces attach perpendicular to a worksurface either aligned with the edge of an element (A style attachment) or centered across a worksurface seam (B style attachment).



**A Style Attachment**  
at the edge of an element

**B Style Attachment**  
at the worksurface seam

Return Worksurface



**A Style attachment shown**  
See page 73 for drawings of how to specify A style or B style return worksurfaces.

DESCRIPTION

Attaches perpendicular to a worksurface, either aligned with the edge of an element (Attachment A) or centered across a worksurface seam (Attachment B).

Includes an open leg on one side, worksurface attachment bracket on the other, and worksurface without power/data grommet.

NOTES

- Specify -A or -B style attachment.
- Cannot use A style attachment for:
  - 24"D Return Worksurface on a 48"W or 96"W Element.
  - 30"D Return Worksurface on a 54", 60", 66" or 72"W Element.
- Can be used with Start/End Elements or Extension Elements.

SPECIFICATION OPTIONS

**product #:** see charts below  
**worksurface finish:** see page 7  
**edge finish:** see page 7  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FVRL1836-A/B  
**worksurface finish:** M1 Light Maple  
**edge finish:** E1 Light Maple  
**finish:** CW Cloud White

NOTES

Specify -A style for attachment at edge of element or -B style for attachment at worksurface seam.

NOTES

Specify -A style for attachment at edge of element or -B style for attachment at worksurface seam.

Cannot use A style attachment for:

- 24"D Return Worksurface on a 48"W or 96"W Element.

NOTES

Specify -A style for attachment at edge of element or -B style for attachment at worksurface seam.

Cannot use A style attachment for:

- 30"D Return Worksurface on a 54", 60", 66" or 72"W Element.

NOTES

B style attachment only.

18" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL1836-A/B	1"	36"	18"		\$762
FVRL1842-A/B	1"	42"	18"		\$791
FVRL1848-A/B	1"	48"	18"		\$819
FVRL1854-A/B	1"	54"	18"		\$884
FVRL1860-A/B	1"	60"	18"		\$983

24" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL2436-A/B	1"	36"	24"		\$823
FVRL2442-A/B	1"	42"	24"		\$861
FVRL2448-A/B	1"	48"	24"		\$938
FVRL2454-A/B	1"	54"	24"		\$1,041
FVRL2460-A/B	1"	60"	24"		\$1,078

30" DEPTH


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL3036-A/B	1"	36"	30"		\$934
FVRL3042-A/B	1"	42"	30"		\$952
FVRL3048-A/B	1"	48"	30"		\$1,023
FVRL3054-A/B	1"	54"	30"		\$1,212
FVRL3060-A/B	1"	60"	30"		\$1,258

36" DEPTH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVRL3636-A/B	1"	36"	36"		\$986
FVRL3642-A/B	1"	42"	36"		\$1,042
FVRL3648-A/B	1"	48"	36"		\$1,094
FVRL3654-A/B	1"	54"	36"		\$1,291
FVRL3660-A/B	1"	60"	36"		\$1,346

RETURN WORKSURFACE

## Mobile Pedestals Laminate



### DESCRIPTION

Mobile pedestals. Please view individual product details below.

### NOTES

- Cannot be used to support the worksurface
- Specify front, worksurface, casing, & pull when ordering.
- Includes pencil tray in top drawer

### SPECIFICATION OPTIONS

**product #:** see charts below  
**front finish:** see page 7  
**worksurface finish:** see page 7  
**casing finish:** See page 7


### ORDER EXAMPLES

**product #:** FD-BF-2016-MOB  
**front finish:** M1 Light Maple  
**worksurface finish:** M1 Light Maple  
**casing finish:** M29 Raven  
**pull:** Wedge, brushed aluminum


### PEDESTAL PULL OPTIONS



**Wedge Pull**  
 • Brushed Aluminum  
 • Black Umber




**Designer Pull**  
 • Cloud White/Red  
 • Cloud White/Green  
 • Cloud White/Grey




**Slant Pull**  
 • Brushed Aluminum  
 • Black Umber

### LAMINATE MOBILE BOX/FILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	LIST	NOTES
FD-BF-2016-MOB	24"	15.5"	20"	\$1,383	<ul style="list-style-type: none"> <li>• Locking mobile laminate pedestal with (2) drawers, pencil tray and pulls.</li> <li>• Specify front, worksurface, casing &amp; pull when ordering.</li> <li>• Includes pencil tray in top drawer</li> </ul>
FD-BF-2416-MOB	24"	15.5"	24"	\$1,424	

### LAMINATE MOBILE PENCIL/BOX/FILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	LIST	NOTES
FD-PBF-2016-MOB	24.5"	15.5"	20"	\$1,757	<ul style="list-style-type: none"> <li>• Locking mobile laminate pedestal with (3) drawers, pencil tray and pulls.</li> <li>• Specify front, worksurface, casing &amp; pull when ordering.</li> <li>• Includes pencil tray in top drawer</li> </ul>

### BOX/FILE MOBILE LAMINATE PEDESTAL CUSHION








PART #	HEIGHT	WIDTH	DEPTH	LIST	NOTES
FD-BF-2016.CUSH	1.75"	15.5"	20"	\$409	<b>For laminate mobile box/file pedestal only.</b>  <b>Note:</b> If cushion is placed on a full height mobile pedestal, it will not fit under a worksurface.  <b>Passage and Terrain</b> fabrics cannot be used on pedestal cushions (see page 5)  COM is an option. (see page 5)
FD-BF-2416.CUSH	1.75"	15.5"	24"	\$513	


Mobile Pedestals Metal



DESCRIPTION	SPECIFICATION OPTIONS
Mobile pedestals. Please view individual product details below.	<b>product #:</b> see charts below <b>finish:</b> see page 7 <b>fabric cushion (optional):</b> see page 5 <b>pull:</b> See page 8
NOTES	ORDER EXAMPLES
<ul style="list-style-type: none"><li>Cannot be used to support the worksurface</li><li>Specify pull when ordering (page 8)</li><li>Metal Finish Bar Pull will be shipped in box on ALL orders, Premium Pulls will ship separately.</li><li>Includes pencil tray in top drawer</li></ul>	<b>product #:</b> FPEDSQP.BF-MOB-MET <b>finish:</b> CW Cloud White <b>fabric cushion (optional):</b> PF401-1 Silky-Natural <b>pull:</b> Wedge \$50 (see upcharge below)


	DEFAULT PULL	PULLS REQUIRING UPCHARGE			
PEDESTAL PULL OPTIONS					
	Bar Pull • Metal Finish	Bar Pull • Black Umber	Wedge Pull • Brushed Aluminum • Black Umber	Designer Pull • Cloud White/Red • Cloud White/Green • Cloud White/Grey	Slant Pull • Brushed Aluminum • Black Umber

METAL MOBILE BOX/FILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FPEDSQP.BF-MOB-MET	22"	15"	20"	85	\$940	<ul style="list-style-type: none"><li>Locking mobile metal pedestal with square front, pencil tray and pulls.</li><li>Specify paint finish</li><li>Specify pull when ordering</li><li>Includes pencil tray in top drawer</li></ul>
WEDGE, DESIGNER, SLANT OR BU PULL					+\$50	

BOX/FILE MOBILE METAL PEDESTAL CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FPEDSQ.CUSH	1.75"	15"	20"	—	\$429	<b>For FPEDSQP.BF-MOB-MET metal mobile box/file pedestal only.</b>  <b>Passage and Terrain</b> fabrics cannot be used on pedestal cushions. (See page 5)


SIDE-TO-SIDE FILE BARS



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FSSB	—	—	—	1	\$28	Side-to-side File Bars for filing letter or legal size folders.  Order one per file drawer  Finish: Black  Metal only

## Mobile Pedestals

My-Hite



## DESCRIPTION

Box/File mobile pedestal with lock and matching color top

## NOTES

- Optional Foam cushion available
- Optional different color top available
- Foam cushion is available in 6 colors
- Key-alike available
- Changeable colored top available

## SPECIFICATION OPTIONS

**product #:** FBFPED.MOB

**finish:** CW, BU, SV

**foam color (if applicable):** Charcoal, Café, Grey, and Red

## ORDER EXAMPLE

**Pedestal:**

**product #:** FBFPED.MOB


**finish:** SV Silver

**Cushion:**

**product #:** FBFPED.CUSH


**finish:** Charcoal

## MOBILE PEDESTAL




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBFPED.MOB	21.5"	15"	19 3/4"		\$784	<ul style="list-style-type: none"> <li>• Finish options: SV Silver, CW Cloud White and BU Black Umber</li> </ul>

## COLOR PEDESTAL TOP




PART #	HEIGHT	WIDTH	DEPTH	PRICE	NOTES
FBFPED.PT				\$98	<ul style="list-style-type: none"> <li>• For use with FBFPED.MOB pedestal only</li> <li>• Color options: Green, Blue, and Red</li> <li>• Please select color when ordering</li> </ul>

## FOAM CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	PRICE	NOTES
FBFPED.CUSH					\$164	<ul style="list-style-type: none"> <li>• For use with FBFPED.MOB pedestal only</li> <li>• Color options: Charcoal, Café, Grey, and Red</li> <li>• Please select color when ordering</li> <li>• Cushion is made of foam and not fabric covered</li> </ul>

Credenzas



DESCRIPTION

Laminate storage credenzas with open shelves and sliding doors with pull.

NOTES

- Specify: Top, Front, Case, Pull & Foot.
- Pulls have color options: specify color when ordering. (See page 8)
- Specify L for left or R for right indicating door pull location.

SPECIFICATION OPTIONS

**product #:** see charts below  
**front finish:** see page 5  
**top finish:** see page 5  
**casing finish:** see page 5  
**pull:** See page 8  
**foot finish:** BU, CW, SV


ORDER EXAMPLE

**product #:** FVBSC.1860  
**front finish:** M1 Light Maple  
**top finish:** M1 Light Maple  
**casing finish:** M29 Raven  
**pull:** Wedge, brushed aluminum  
**foot finish:** CW


CREDENZA PULL OPTIONS



Wedge Pull  
• Brushed Aluminum  
• Black Umber




Designer Pull  
• Cloud White/Red  
• Cloud White/Green  
• Cloud White/Grey



Slant Pull  
• Brushed Aluminum  
• Black Umber

CREDENZA




(Left Handed Shown)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVBSC.1848L	21.25"	48"	17.75"	—	\$1,518	Specify L for left or R for right indicating door pull location
FVBSC.1848R	21.25"	48"	17.75"	—	\$1,518	
FVBSC.1860L	21.25"	60"	17.75"	—	\$1,718	May also be specified as worksurface-supporting credenza. See Supporting Storage section for details.
FVBSC.1860R	21.25"	60"	17.75"	—	\$1,718	
FVBSC.1872L	21.25"	72"	17.75"	—	\$1,981	Specify: Top, Front, Case, Pull & Foot Finish
FVBSC.1872R	21.25"	72"	17.75"	—	\$1,981	

## Credenzas continued

### MOBILE CREDENZA, 36" WIDE



(Left Handed Shown)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVBCMOB.1836L	21.75"	36"	17.75"	—	\$1,089
FVBCMOB.1836R	21.75"	36"	17.75"	—	\$1,089


#### NOTES

Mobile storage credenza with sliding door and pull

Specify: Top, Front, Case, & Pull

Specify L for left or R for right indicating door pull location.

### CREDENZA CUSHION



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FCREDSQ.CUSH30	1.75"	30"	18"	—	\$442
FCREDSQ.CUSH36	1.75"	36"	18"	—	\$451
FCREDSQ.CUSH42	1.75"	42"	18"	—	\$508
FCREDSQ.CUSH48	1.75"	48"	18"	—	\$566
FCREDSQ.CUSH60	1.75"	60"	18"	—	\$678
FCREDSQ.CUSH72	1.75"	72"	18"	—	\$867

#### NOTES

Specify standard fabric.


**Passage and Terrain fabrics cannot be used on credenza cushions.** (See page 5)

May use shorter cushion on supporting credenza.

Example:

- Credenza 60" W, with 30" W cushion so credenza can support element. (See page 78)

Cabinets



DESCRIPTION

Locking laminate storage cabinet with open shelf and doors with pulls.

SPECIFICATION OPTIONS

**product #:** see charts below  
**front finish:** see page 5  
**top finish:** see page 5  
**casing finish:** see page 5  
**door finish:** See page 5  
**pull:** See page 8

NOTES

- Specify: Top, Door, Case, Pull
- Pulls have color options: specify color when ordering. (See page 8)


ORDER EXAMPLE

**product #:** FVST.1824  
**front finish:** M1 Light Maple  
**top finish:** M1 Light Maple  
**casing finish:** M29 Raven  
**door finish:** M29 Raven  
**pull:** Wedge, brushed aluminum


CABINET PULL OPTIONS



Wedge Pull  
• Brushed Aluminum  
• Black Umber




Designer Pull  
• Cloud White/Red  
• Cloud White/Green  
• Cloud White/Grey



Slant Pull  
• Brushed Aluminum  
• Black Umber


FREESTANDING STORAGE CABINET



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVST.1824	45"	24"	17.75"	—	\$1,377	Fixed open shelf above
FVST.1830	45"	30"	17.75"	—	\$1,551	Adjustable shelf behind, locking swing doors
FVST.1836	45"	36"	17.75"	—	\$1,802	Does not support worksurfaces Specify: Top, Door, Case & Pull



Over-Worksurface Storage, Single-Sided



DESCRIPTION

Single-sided laminate storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf or sliding door.

NOTES

- Specify support (post leg or cabinet) separately
- Specify front finish and left/right pull location for storage door (if applicable)
- Specify pull when ordering
- Pulls have color options: specify color when ordering. (See page 8)


SPECIFICATION OPTIONS

**product #:** see charts below  
**front finish:** see page 7  
**top finish:** see page 7  
**casing finish:** see page 7  
**finish:** CW, BU, SV  
**pull (if applicable):** See page 8


ORDER EXAMPLE

**product #:** FVOSDSN.1524  
**front finish:** M1 Light Maple  
**top finish:** M1 Light Maple  
**casing finish:** M1 Light Maple  
**finish:** CW, Cloud White  
**pull (if applicable):** Wedge, brushed aluminum


STORAGE PULL OPTIONS



Wedge Pull  
• Brushed Aluminum  
• Black Umber




Designer Pull  
• Cloud White/Red  
• Cloud White/Green  
• Cloud White/Grey



Slant Pull  
• Brushed Aluminum  
• Black Umber

WITH SLIDING DOOR  
15" HIGH




right hand shown

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVOSDSN.1524L	15"	24"	13.75"	—	\$763	Laminate storage with sliding door and solid back
FVOSDSN.1524R	15"	24"	13.75"	—	\$763	
FVOSDSN.1530L	15"	30"	13.75"	—	\$842	Specify L for left or R for right indicating door pull location.
FVOSDSN.1530R	15"	30"	13.75"	—	\$842	
FVOSDSN.1548L	15"	48"	13.75"	—	\$1,103	Specify front finish for sliding door
FVOSDSN.1548R	15"	48"	13.75"	—	\$1,103	
FVOSDSN.1560L	15"	60"	13.75"	—	\$1,423	Specify pull when ordering
FVOSDSN.1560R	15"	60"	13.75"	—	\$1,423	
FVOSDSN.1572L	15"	72"	13.75"	—	\$1,544	
FVOSDSN.1572R	15"	72"	13.75"	—	\$1,544	

Over-Worksurface Storage, Single-Sided continued


WITH OPEN SHELF  
15" HIGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOSN1524	15"	24"	13.75"	—	\$415
FVOSOSN1530	15"	30"	13.75"	—	\$541
FVOSOSN1548	15"	48"	13.75"	—	\$752
FVOSOSN1560	15"	60"	13.75"	—	\$881
FVOSOSN1572	15"	72"	13.75"	—	\$997

NOTES
Laminate storage with open shelf, and solid back
24"W and 30"W do not have a center divider.
48"W or wider have a center divider.


WITH OPEN SHELF  
8" HIGH



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOS.0824	8"	24"	13.75"	—	\$277
FVOSOS.0830	8"	30"	13.75"	—	\$323
FVOSOS.0848	8"	48"	13.75"	—	\$506
FVOSOS.0860	8"	60"	13.75"	—	\$595
FVOSOS .0872	8"	72"	13.75"	—	\$675

NOTES
Laminate storage with open shelf, open back and center divider.
24"W and 30"W do not have a center divider.
48"W or wider have a center divider.

## Over-Worksurface Storage, Double-Sided



### DESCRIPTION

Double-sided (shared) storage that is mounted above the worksurface, perpendicular to the spine. Available with open shelf, or sliding door and markerboard.

### NOTES

- Specify support (post leg or cabinet) separately
- Specify front finish and left/right pull location for storage door (if applicable)
- Specify pull when ordering
- Pulls have color options: specify color when ordering. (See page 8)

### SPECIFICATION OPTIONS

**product #:** see charts below  
**front finish:** see page 7  
**top finish:** see page 7  
**casing finish:** see page 7  
**finish:** CW, BU, SV  
**pull (if applicable):** See page 8


### ORDER EXAMPLE

**product #:** FVOSDSH.1524  
**front finish:** M1 Light Maple  
**top finish:** M1 Light Maple  
**casing finish:** M1 Light Maple  
**finish:** CW, Cloud White  
**pull (if applicable):** Wedge, brushed aluminum


### STORAGE PULL OPTIONS



Wedge Pull  
 • Brushed Aluminum  
 • Black Umber




Designer Pull  
 • Cloud White/Red  
 • Cloud White/Green  
 • Cloud White/Grey



Slant Pull  
 • Brushed Aluminum  
 • Black Umber


### WITH SLIDING DOOR 15" HIGH



left hand shown

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FVOSDSH.1524L	15"	24"	13.75"	—	\$1,220	Laminate storage with sliding door and markerboard on each side
FVOSDSH.1524R	15"	24"	13.75"	—	\$1,220	
FVOSDSH.1530L	15"	30"	13.75"	—	\$1,358	Specify L for left or R for right indicating door pull location.
FVOSDSH.1530R	15"	30"	13.75"	—	\$1,358	
FVOSDSH.1548L	15"	48"	13.75"	—	\$1,814	Specify front finish for sliding door.
FVOSDSH.1548R	15"	48"	13.75"	—	\$1,814	
FVOSDSH.1560L	15"	60"	13.75"	—	\$2,086	Specify pull when ordering
FVOSDSH.1560R	15"	60"	13.75"	—	\$2,086	
FVOSDSH.1572L	15"	72"	13.75"	—	\$2,296	Premium pulls have color options: specify color when ordering. (See page 8)
FVOSDSH.1572R	15"	72"	13.75"	—	\$2,296	

## Over-Worksurface Storage, Double-Sided continued

WITH OPEN SHELF  
15" HIGH


left hand shown

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOSH.1524L	15"	24"	13.75"	—	\$373
FVOSOSH.1524R	15"	24"	13.75"	—	\$373
FVOSOSH.1530L	15"	30"	13.75"	—	\$373
FVOSOSH.1530R	15"	30"	13.75"	—	\$373
FVOSOSH.1548L	15"	48"	13.75"	—	\$621
FVOSOSH.1548R	15"	48"	13.75"	—	\$621
FVOSOSH.1560L	15"	60"	13.75"	—	\$672
FVOSOSH.1560R	15"	60"	13.75"	—	\$672
FVOSOSH.1572L	15"	72"	13.75"	—	\$750
FVOSOSH.1572R	15"	72"	13.75"	—	\$750

## NOTES

Laminate storage with open shelf and markerboard on each side.

Specify L for left or R for right indicating open shelf location.

WITH OPEN SHELF  
8" HIGH

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSOS.0824	8"	24"	13.75"	—	\$277
FVOSOS.0830	8"	30"	13.75"	—	\$323
FVOSOS.0848	8"	48"	13.75"	—	\$506
FVOSOS.0860	8"	60"	13.75"	—	\$595
FVOSOS.0872	8"	72"	13.75"	—	\$675


## NOTES

Laminate storage with open shelf, open back and center divider.

24"W and 30"W do not have a center divider.


48"W or wider have a center divider.

Pulls Lateral




DESCRIPTION	SPECIFICATION OPTIONS
3 different pull options to choose from	<b>product #:</b> see charts below <b>pull:</b> see charts below
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"><li>Pulls have color options: specify color when ordering. (See chart below)</li></ul>	<b>product #:</b> WEDGE-PULL-244 <b>pull:</b> Wedge, brushed aluminum

WEDGE PULL  
FOR LATERAL




PART #	WT. (LBS)	LIST	NOTES
WEDGE-PULL-244	—	\$25	Wedge Pull for Lateral
WEDGE-PULL-244-BU	—	\$25	

DESIGNER PULL  
FOR LATERAL




PART #	WT. (LBS)	LIST	NOTES
DESIGNER-PULL-250-RED	—	\$25	Designer Pull is CW (Cloud White) with non-slip color trim on underside. Trim available in 3 colors: Red, Green, and Grey
DESIGNER-PULL-250-GREEN	—	\$25	
DESIGNER-PULL-250-GREY	—	\$25	

SLANT PULL  
FOR LATERAL




PART #	WT. (LBS)	LIST	NOTES
SLANT-PULL-199	—	\$25	Slant Pull for Lateral
SLANT-PULL-199-BU	—	\$25	

Pulls Pedestal




DESCRIPTION	SPECIFICATION OPTIONS
3 different pull options to choose from	<b>product #:</b> see charts below <b>pull:</b> see charts below
NOTES	ORDER EXAMPLE
<ul style="list-style-type: none"><li>Pulls have color options: specify color when ordering. (See chart below)</li></ul>	<b>product #:</b> DESIGNER-PULL-250-RED <b>pull:</b> Designer Pull, RED

WEDGE PULL  
FOR PEDESTAL




PART #	WT. (LBS)	LIST	NOTES
WEDGE-PULL-167	—	\$25	Wedge Pull for Pedestal
WEDGE-PULL-167-BU	—	\$25	

DESIGNER PULL  
FOR PEDESTAL



PART #	WT. (LBS)	LIST	NOTES
DESIGNER-PULL-250-RED	—	\$25	Designer Pull is CW (Cloud White) with non-slip color trim on underside. Trim available in 3 colors: Red, Green, and Grey
DESIGNER-PULL-250-GREEN	—	\$25	
DESIGNER-PULL-250-GREY	—	\$25	

SLANT PULL  
FOR PEDESTAL



PART #	WT. (LBS)	LIST	NOTES
SLANT-PULL-167	—	\$25	Slant Pull for Pedestal
SLANT-PULL-167-BU	—	\$25	

## Support for Over-Worksurface Storage

### DESCRIPTION

Supporting post leg or cabinet for over-worksurface mounted cabinets.

### SPECIFICATION OPTIONS

**product #:** see charts below  
**top, casing and front finish:** see worksurface laminates on page 7


### NOTES

- Specify top, casing and front finish for support cabinet.

### ORDER EXAMPLE

**product #:** FVSL.3  
**finish:** CW Cloud White  
**product #:** FVSC.1416  
**front finish (if applicable):** M1 Light Maple


### SUPPORT COLUMN LEG WITH DISC BASE



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSL.3	29.5"	3"/14"	—	—	\$527

NOTES
Supporting column leg with disc base for over-worksurface mounted cabinets.
3"W column, 14"W disc base.
Supporting leg available in paint finish (page 7)


### SUPPORT CABINET



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSC.1416	29.5"	15.5"	13.75"	—	\$1,090

NOTES
Supporting cabinet for over-worksurface mounted cabinets.
Specify top, casing and front finish
Opposite side is closed at top and open at bottom.

### SUPPORT CABINET, SINGLE SIDED



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSCS.1416	29.5"	15.5"	13.75"	—	\$1,090

NOTES
Does not support worksurfaces
Specify: Top, Door, Case

## Track-Mounted Accessories, Fabric Tackboard

## DESCRIPTION

Accessories mounted to the center track.  
Please view individual product details below.

## SPECIFICATION OPTIONS

**product #:** see charts below  
**fabric (if applicable):** see page 5  
**(Passage and Terrain fabric not approved for this application)**  
**finish (if applicable):** see page 7  
**front finish (if applicable):** see page 7


## NOTES

- Support brackets are available in Cloud White, Silver and Black Umber.
- A shelf cannot be installed in the same position as the track mounted tackboard.

**Passage and Terrain fabric not approved for this application**

## ORDER EXAMPLE


**product #:** FVTKBDT.1536  
**fabric (if applicable):** PF401-1 Silky-Natural  
**product #:** FVDSS  
**finish (if applicable):** CW Cloud White  
**product #:** FVOSS.16  
**finish (if applicable):** CW Cloud White  
**front finish (if applicable):** CW Cloud White

FABRIC TACKBOARD 15"  
(track-mounted)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDT.1536	15"	34"	1.25"	—	\$421
FVTKBDT.1542	15"	40"	1.25"	—	\$473
FVTKBDT.1548	15"	46"	1.25"	—	\$509
FVTKBDT.1554	15"	52"	1.25"	—	\$599
FVTKBDT.1560	15"	58"	1.25"	—	\$648
FVTKBDT.1566	15"	64"	1.25"	—	\$700
FVTKBDT.1572	15"	70"	1.25"	—	\$730

## NOTES

Specify fabric on pg 5.

FABRIC TACKBOARD 18"  
(track-mounted)


PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDT.1836	18"	34"	1.25"	—	\$463
FVTKBDT.1842	18"	40"	1.25"	—	\$520
FVTKBDT.1848	18"	46"	1.25"	—	\$562
FVTKBDT.1854	18"	52"	1.25"	—	\$661
FVTKBDT.1860	18"	58"	1.25"	—	\$714
FVTKBDT.1866	18"	64"	1.25"	—	\$782
FVTKBDT.1872	18"	70"	1.25"	—	\$802

## NOTES

Specify fabric on pg 5.

Support brackets are available in Cloud White, Silver and Black Umber.

Product is available for orders Feb. 1, 2017

FABRIC TACKBOARD 20"  
(track-mounted)

PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDT.2036	20"	34"	1.25"	—	\$484
FVTKBDT.2042	20"	40"	1.25"	—	\$544
FVTKBDT.2048	20"	46"	1.25"	—	\$588
FVTKBDT.2054	20"	52"	1.25"	—	\$690
FVTKBDT.2060	20"	58"	1.25"	—	\$746
FVTKBDT.2066	20"	64"	1.25"	—	\$803
FVTKBDT.2072	20"	70"	1.25"	—	\$839

## NOTES

Specify fabric on pg 5.


Support brackets are available in Cloud White, Silver and Black Umber.

Product is available for orders Feb. 1, 2017



## Track-Mounted Accessories, Glass Screen


### CLEAR GLASS SCREEN (track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVGSTCL.1524	15"	23.25"	1.25"	—	\$226
FVGSTCL.1530	15"	29.25"	1.25"	—	\$259
FVGSTCL.1536	15"	35.25"	1.25"	—	\$289
FVGSTCL.1542	15"	41.25"	1.25"	—	\$320
FVGSTCL.1548	15"	47.25"	1.25"	—	\$354
FVGSTCL.1554	15"	53.25"	1.25"	—	\$417
FVGSTCL.1560	15"	59.25"	1.25"	—	\$417
FVGSTCL.1566	15"	65.25"	1.25"	—	\$471
FVGSTCL.1572	15"	71.25"	1.25"	—	\$471

NOTES
Glass is clear.
For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.
For 84" tops, order 2 pieces of 42" glass.
For 96" tops, order 2 pieces of 48" glass.


### FROSTED GLASS SCREEN (track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVGSTFR.1524	15"	23.25"	1.25"	—	\$342
FVGSTFR.1530	15"	29.25"	1.25"	—	\$404
FVGSTFR.1536	15"	35.25"	1.25"	—	\$465
FVGSTFR.1542	15"	41.25"	1.25"	—	\$528
FVGSTFR.1548	15"	47.25"	1.25"	—	\$591
FVGSTFR.1554	15"	53.25"	1.25"	—	\$749
FVGSTFR.1560	15"	59.25"	1.25"	—	\$749
FVGSTFR.1566	15"	65.25"	1.25"	—	\$874
FVGSTFR.1572	15"	71.25"	1.25"	—	\$874

NOTES
Glass is frosted.
For 78" tops, order 1 piece of 42" glass and 1 piece of 36" glass.
For 84" tops, order 2 pieces of 42" glass.
For 96" tops, order 2 pieces of 48" glass.


### METAL SHELF (track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVSS	5"	20"	6.75"	—	\$160

NOTES
Specify finish.


### OPEN SHELF (track-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVOSS.16	—	15.75"	—	—	\$284
FVOSS.22	—	21.5"	—	—	\$331

NOTES
Specify finish (painted metal) and front finish (laminate shelf base).

## Privacy Screen, Fabric



### DESCRIPTION

Work Surface mounted fabric covered privacy screen

### NOTES

Fabric screen is non-tackable

Actual screen is shorter than the worktop.

Example: FPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

Fabric covered privacy screens have Black Reveal.

**Passage and Terrain fabric not approved for this application.**

### SPECIFICATION OPTIONS

**product #:** see charts below

**Paint (Brackets):** CW, BU, SV

**fabric:** see page 5 (**Passage and Terrain fabric not approved for this application**)

### ORDER EXAMPLE

**product #:** FPSFLUSH.2442

**brackets:** SV, Silver

**fabric:** PF-101-1, Terrian, Caramel

### Fabric Privacy Screen - Flush

PART #	HEIGHT	WIDTH	LIST
FPSFLUSH.2442	24"	34"	\$671
FPSFLUSH.2448	24"	40"	\$726
FPSFLUSH.2454	24"	46"	\$781
FPSFLUSH.2460	24"	52"	\$839
FPSFLUSH.2466	24"	58"	\$897
FPSFLUSH.2472	24"	64"	\$953

### NOTES

- Privacy screen sits flush with the back of the worktop.
- Fabric covered privacy screens have Black Reveal.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

1. Actual width of FPSFLUSH.2460 is 52"

### Fabric Privacy Screen - with Wire Management Gap

PART #	HEIGHT	WIDTH	LIST
FPSGAP.2442	24"	34"	\$671
FPSGAP.2448	24"	40"	\$726
FPSGAP.2454	24"	46"	\$781
FPSGAP.2460	24"	52"	\$839
FPSGAP.2466	24"	58"	\$897
FPSGAP.2472	24"	64"	\$953

### NOTES

- Fabric covered privacy screens have Black Reveal.
- With 1" gap at back of worksurface for cord/wire management.

Example:

1. Actual width of FPSGAP.2460 is 52"

### Fabric Privacy Screen - Flush End-Of-Run with Triangle Leg

PART #	HEIGHT	WIDTH	LIST
FVPS.3948	39"	48"	\$957
FVPS.3960	39"	60"	\$1,085

### NOTES

Fabric covered privacy screens have Black Reveal.

Privacy screen sits flush with the back of the worktop.

- Actual width of FVPS.3948 is 43"
- Actual width of FVPS.3960 is 55"
- Use with Triangle Legs only

### Fabric Privacy Screen - Flush End-Of-Run with Inset Legs or Taper Legs

PART #	HEIGHT	WIDTH	LIST
FVPS.3942	39"	36"	\$979
FVPS.3954	39"	48"	\$1,113


### NOTES

Fabric covered privacy screens have Black Reveal.

Privacy screen sits flush with the back of the worktop.

- Actual width of FVPS.3942 is 36.5"
- Actual width of FVPS.3954 is 48.75"
- Use with Inset or Taper Legs only

## Privacy Screen, Marker Board



### DESCRIPTION

Work Surface mounted marker board privacy screen

### NOTES

To use a wire manager on your My-Hite table with a **marker board** privacy screen, you must order "with gap".

Marker board screen is writable on both sides

Actual screen is shorter than the worktop.

Example: FMPSFLUSH.2448 for use on 46"/48" width table, actual width of screen is 40"

### SPECIFICATION OPTIONS

**product #:** see charts below  
**Paint (Brackets):** CW, BU, SV

### ORDER EXAMPLE

**product #:** FMPSFLUSH.2442  
**brackets:** SV, Silver

### Marker Board Privacy Screen - Flush

PART #	HEIGHT	WIDTH	LIST
FMPSFLUSH.2442	24"	34"	\$811
FMPSFLUSH.2448	24"	40"	\$929
FMPSFLUSH.2454	24"	46"	\$1,046
FMPSFLUSH.2460	24"	52"	\$1,165
FMPSFLUSH.2466	24"	58"	\$1,283
FMPSFLUSH.2472	24"	64"	\$1,401

### NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

- Actual width of FMPSFLUSH.2460 is 52"

### Marker Board Privacy Screen - with Wire Management Gap

PART #	HEIGHT	WIDTH	LIST
FMPSPGAP.2442	24"	34"	\$811
FMPSPGAP.2448	24"	40"	\$929
FMPSPGAP.2454	24"	46"	\$1,046
FMPSPGAP.2460	24"	52"	\$1,165
FMPSPGAP.2466	24"	58"	\$1,283
FMPSPGAP.2472	24"	64"	\$1,401


### NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:

- Actual width of FMPSPGAP.2460 is 52"

Privacy Screen, Laminate



DESCRIPTION

Work Surface mounted laminate privacy screen

NOTES

To use a wire manager on your My-Hite table with a laminate privacy screen, you must order "with gap".

Actual screen is shorter than the worktop.

SPECIFICATION OPTIONS

**product #:** see charts below  
**Paint (Brackets):** CW, BU, SV  
**finish:** see page 7

ORDER EXAMPLE

**product #:** FLPSFLUSH.2442  
**brackets:** SV, Silver

Laminate Privacy Screen - Flush

PART #	HEIGHT	WIDTH	LIST
FLPSFLUSH.2442	24"	34"	\$436
FLPSFLUSH.2448	24"	40"	\$487
FLPSFLUSH.2454	24"	46"	\$535
FLPSFLUSH.2460	24"	52"	\$583
FLPSFLUSH.2466	24"	58"	\$633
FLPSFLUSH.2472	24"	64"	\$681

NOTES

- Privacy screen sits flush with the back of the worktop.
- Privacy screen is 8" shorter than free standing top width and 6" shorter than a worksurface from a paneled system.

Example:

- Actual width of FLPSFLUSH.2460 is 52"

Laminate Privacy Screen -  
with Wire Management Gap

PART #	HEIGHT	WIDTH	LIST
FLPSGAP.2442	24"	34"	\$436
FLPSGAP.2448	24"	40"	\$487
FLPSGAP.2454	24"	46"	\$535
FLPSGAP.2460	24"	52"	\$583
FLPSGAP.2466	24"	58"	\$633
FLPSGAP.2472	24"	64"	\$681


NOTES

- With 1" gap at back of worksurface for cord/wire management.

Example:

- Actual width of FPSGAP.2460 is 52"

# Modesty Panel, Laminate



## DESCRIPTION

Laminate modesty panel with matching 2mm PVC edge

## SPECIFICATION OPTIONS

**product #:** see charts below  
**Paint (Brackets)** CW, BU, SV  
**Laminate (Modesty Panel)** see page 7

## ORDER EXAMPLE

**product #:** FLMOD.0836  
**paint:** CW, Cloud White  
**laminate:** M12, Medium Walnut

## Laminate Modesty Panel

PART #	HEIGHT	WIDTH	LIST
FLMOD.0836	8"	36"	\$263
FLMOD.0842	8"	42"	\$273
FLMOD.0848	8"	48"	\$281
FLMOD.0854	8"	54"	\$338
FLMOD.0860	8"	60"	\$424
FLMOD.0866	8"	66"	\$432
FLMOD.0872	8"	72"	\$441
FLMOD.0884	8"	84"	\$458
FLMOD.0896	8"	96"	\$474

## NOTES

- For use with single-sided units only.
- Modesty panel is actual width

FLMOD.1636	16"	36"	\$326
FLMOD.1642	16"	42"	\$333
FLMOD.1648	16"	48"	\$340
FLMOD.1654	16"	54"	\$450
FLMOD.1660	16"	60"	\$535
FLMOD.1666	16"	66"	\$542
FLMOD.1672	16"	72"	\$553
FLMOD.1684	16"	84"	\$568
FLMOD.1696	16"	96"	\$586

Worksurface-Mounted Accessories, Fabric Tackboard

DESCRIPTION

Accessories mounted to the worksurface.

SPECIFICATION OPTIONS

**product #:** see charts below  
**fabric:** See page 5 (**Passage and Terrain fabric not approved for this application**).  
**finish:** See page 7


NOTES

- **Passage and Terrain fabric not approved for this application**
- Clamps to worksurface on one side

ORDER EXAMPLE


**product #:** FVTKBDW.1522  
**fabric:** PF401-1 Silky-Natural  
**finish:** CW Cloud White

FABRIC TACKBOARD 15"  
(surface-mounted)




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDW.1522	15"	22"	1"	—	\$283
FVTKBDW.1528	15"	28"	1"	—	\$349

FABRIC TACKBOARD 18"  
(surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDW.1822	18"	22"	1"	—	\$312
FVTKBDW.1828	18"	28"	1"	—	\$383


FABRIC TACKBOARD 20"  
(surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVTKBDW.2022	20"	22"	1"	—	\$325
FVTKBDW.2028	20"	28"	1"	—	\$400

## Worksurface-Mounted Accessories


### CLEAR GLASS SCREEN (surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVGSWCL.1522	15"	22"	1"	—	\$289
FVGSWCL.1528	15"	28"	1"	—	\$360

NOTES
Mounts along the worksurface.
Glass is clear.
Includes hardware.


### FROSTED GLASS SCREEN (surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVGSWFR.1522	15"	22"	1"	—	\$400
FVGSWFR.1528	15"	28"	1"	—	\$450

NOTES
Mounts along the worksurface.
Glass is frosted.
Includes hardware.


### MARKERBOARD SCREEN (surface-mounted)



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVMKRW.1522	15"	22"	1"	—	\$395
FVMKRW.1528	15"	28"	1"	—	\$512


NOTES
Mounts along the worksurface.
Markerboard with write and erase surface.
Includes hardware.

### MODESTY PANEL (under surface-mounted)




PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST
FVMOD.1648	13.75"	36"	1"	—	\$257
FVMOD.1654	13.75"	42"	1"	—	\$259
FVMOD.1660	13.75"	48"	1"	—	\$272
FVMOD.1666	13.75"	54"	1"	—	\$288
FVMOD.1672	13.75"	60"	1"	—	\$305
FVMOD.1678	13.75"	66"	1"	—	\$448

NOTES
For use with single-sided units only.
Perforated metal modesty panel mounts under the worksurface.
Specify paint finish.
For a 96"W worksurface, order two 48" modesty panels.

**SUPPORTING BRACKETS****For worksurface mounted fabric/markerboard screen**


PART #	LIST	NOTES
FV - X	\$102	BU, CW, SV Finishes  Supporting brackets for worksurface mounted fabric or Markerboard screen.

**SUPPORTING BRACKETS****For worksurface mounted glass screen**

PART #	LIST	NOTES
FV-XT	\$102	BU, CW, SV Finishes  Supporting brackets for worksurface mounted glass screen.  For use with customers own material screen.

**DESK MOUNTED POWER UNIT - CLAMP**

PART #	LIST	NOTES
FPWR.DM	\$468	<ul style="list-style-type: none"> <li>Power unit clamps onto surface</li> <li>The power cord comes attached to the unit. The cord measures approximately 6 ft in length.</li> <li>Includes 3 plugs and 2 USB-A ports</li> <li>Distributes up to 10 amps</li> <li>Finish: available in BU and CW</li> </ul>

**DESK MOUNTED POWER UNIT - ADHESIVE**

PART #	LIST	NOTES
FPWR.DM-2	\$468	<ul style="list-style-type: none"> <li>Power unit attaches to surface with adhesive</li> <li>The power cord comes attached to the unit. The cord measures approximately 6 ft in length.</li> <li>Includes 3 plugs, 1 USB-C and 1 USB-A port</li> <li>Distributes up to 10 amps</li> <li>Finish: available in BU and CW</li> </ul>

**MESH WIRE MANAGER**

PART #	LENGTH	LIST	NOTES
FFWM.18	18"	\$164	<ul style="list-style-type: none"> <li>Wire manager mounts to the bottom of a worksurface to manage cords</li> <li>Finish: Black with red zipper</li> </ul>
FFWM.34	34"	\$164	



SINGLE MONITOR ARM



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FMA-S	—	—	—	—	\$709	BU, CW, SV Finishes  Includes attachment hardware for clamp, grommet and Verity track mount.  Includes (2) USB ports, 6' cords

DUAL MONITOR ARM



PART #	HEIGHT	WIDTH	DEPTH	WT. (LBS)	LIST	NOTES
FMA-D	—	—	—	—	\$1012	BU, CW, SV Finishes  Includes attachment hardware for clamp, grommet and Verity track mount.  Includes (2) USB ports, 6' cords  Monitor arms cannot be placed directly over the power grommet. If double monitor arm is needed, we recommend two single arms placed to the right and left of the grommet.

Keyed-Alike Information

SPECIFICATION OPTIONS
product #: see charts below
ORDER EXAMPLE
product #: LAM1-KEY-ALIKE-4

PART #	DESCRIPTION	PRICE	NOTES
LAM1-KEY-ALIKE-4	Lock Core Keyed-Alike (set of 4) - Type 1 Laminate Storage	\$198	<ul style="list-style-type: none"><li>Laminate Key Cores are for use with laminate storage only. Cannot be keyed alike with metal storage.</li><li>Keyed-Alike Lock Cores are sold in sets of 4 or 6.</li><li>Each set of keyed alike cores includes the cores, each core has two keys and all cores are the same lock number.</li><li>Lock core removal/change keys will need to be ordered separately.</li><li>Specific lock numbers are unavailable.</li></ul>
LAM1-KEY-ALIKE-6	Lock Core Keyed-Alike (set of 6) - Type 1 Laminate Storage	\$298	
LAM1-FCK	Lock Core Change Key - Type 1 Laminate Storage	\$29	
LAM1-FMK	Lock Core Master Key - Type 1 Laminate Storage	\$29	
LAM1-KEY-CORE	Single Lock Core - Type 1 Laminate Storage	\$40 each	

PART #	DESCRIPTION	PRICE	NOTES
METAL1-KEY-ALIKE-4	Lock Core Keyed-Alike (set of 4) - Type 1 Metal Storage	\$198	<ul style="list-style-type: none"><li>All Friant Pedestals, Lateral Files, and Overhead Cabinets can be keyed-alike</li><li>Metal key cores are for use with metal storage only. Cannot be keyed alike with laminate storage.</li><li>Keyed-Alike Lock Cores are sold in sets of 4 or 6).</li><li>Each set includes four Lock Cores, each with two keys, all with the same lock number.</li><li>Lock core removal/change keys will need to be ordered separately.</li><li>Additional Lock Core Removal Keys and Master Keys are available.</li></ul>
METAL1-KEY-ALIKE-6	Lock Core Keyed-Alike (set of 6) - Type 1 Metal Storage	\$298	
METAL1-FCK	Lock Core Change Key - Type 1 Metal Storage	\$29	
METAL1-FMK	Lock Core Master Key - Type 1 Metal Storage	\$29	
METAL1-KEY-CORE	Single Lock Core - Type 1 Metal Storage	\$40 Each	
METAL1-KEYBLANK	Key Blank - Type 1 Metal Storage	\$5	